Stereoscopic Studies of ANATOMY

Prepared under authority of the University of Edinburgh

by

Professor D. J. Cunningham

F.R.S., M.D. (Edin. et Dubl.), D.S.C. (Glasg. et St. And.), D.C.L. (Oxon.)

Edited by

David Waterston

M.A., M.D., F.R.C.S.E., F.R.S.E., Lecturer and Senior Demonstrator of Anatomy, University of Edinburgh

Professor M. H. Cryer

M.D., D.D.S., Professor of Oral Surgery, University of Penn.; Visiting Surgeon, Phila. General Hospital, etc.

Frederick E. Neres

M.D., formerly Instructor in Otology and Operative Otology, New York Post Graduate Medical School and Hospital; Chief of Clinic, Manhattan Eye, Ear, Nose and Throat Hospital, New York City

NEW REVISED EDITION

Section IX

NEW YORK

Imperial Publishing Company

Stereoscopic Studies of Anatomy

Section IX Table of Contents

Internal Anatomy of the Face

VERTICAL TRANSVERSE BILATERAL SECTION

- No. 1.—Anterior view, showing cross section of nasal chamber, maxillary sinus, alveolar process and mandible.
- No. 2.—Posterior view, showing cross section of nasal chamber, maxillary sinus, roots of teeth in process, and the outlet of sinus, ostium maxillare.
- No. 3.—Anterior view of a cross section of a negro skull, showing a deep alveolar process.
- No. 4.—Posterior view, showing lack of symmetry between the nasal fossae, and the sinuses of the right and left side.
- No. 5.—Anterior view, showing the posterior region of the nasal fossa, and maxillary sinus.
- No. 6.—Anterior view, showing a deflected septum, frontal sinus, and a cell in the cristi galli.
- No. 7.—Posterior view. The maxillary sinuses are in shape and extend down below the level of the floor of the nasal fossa.
- No. 8.—Posterior view, showing portion of the frontal sinuses and two large cells within the middle turbinate bones.
- No. 9.—A posterior view, showing the upper portion of the frontal sinus. There are wires which indicate the communicating passage-way from the frontal sinus to the maxillary sinus.
- No. 10.—A radiogram (No. 1) of the same specimen as shown in No. 9.
- No. 11.—A posterior view of a section of an aged person's. The rims of the orbits are thin for about three-fourths of the circumference.

HORIZONTAL SECTIONS

- No. 12.—Gives an under-view of the nasal chamber and the maxillary sinuses.
- No. 13.—Showing two sections cut through the level of the center of the orbits, showing the roofs and floors of the nasal chambers, orbits and sphenoidal sinuses.
- No. 14.—Showing roof of mouth, posterior portion of nose, and pathological opening in the hard palate.

The Nasal Chamber

SAGITTAL SECTIONS

- No. 15.—Outer wall of the nasal chamber, showing a portion of the frontal sinus, anterior ethmoid cells, the orifice of the Eutachian tube, etc.
- No. 16.—Made from two subjects, showing great variations as to depth and size of the external walls of the nasal chambers.
- No. 17.—External wall of nasal chamber, showing ostium frontale, hiatus semilunaris, etc.
- No. 18.—A portion of the ethmoid scrolls has been removed, exposing the structures underneath.
- No. 19.—Two views of right half of a mandible, showing an impacted lower third molar lying horizontally in the jaw.
- No. 20.—Right half of a mandible, showing an impacted tooth lying horizontally on the inner portion of the jaw.

Stereoscopic Studies of Anatomy

Section IX Table of Contents

Nasal Chamber

Continued

DEVELOPMENT OF THE EXTERNAL AUDITORY CANAL

No. 21.—Side view of an embryo of about seven months, showing the temperomandibular articulation and the auditory ring.

No. 22.—Under-view of a child's skull at the time of birth, showing the external tympanic membrane in position.

No. 23.—Under-view of a child's skull, showing the small ear bones in position.

FRONTAL SINUS

- No. 24.—Showing the lack of a frontal sinus in these specimens.
- No. 25.—Showing but one frontal sinus, the right one which extends far over to the left.
- No. 26.—Showing two rather typical sinuses which have two outlets.
- No. 27.—Showing three complete sinuses which have three individual outlets.
- No. 28.—Showing four complete sinuses with four independent outlets.
- No. 29.—Showing five sinuses with four complete septa.
- No. 30.—Showing two sinuses with enlarged ethmoid cell pushed or "blown up" into these sinuses.
- No. 31.—Showing two large frontal sinuses, the right one extends back over the orbit and down through the region of the anterior ethmoid cells into the maxillary sinus.
- No. 32.—Showing two frontal sinuses. The right sinus is very large, extending from the right external angular process to the left side, measuring 65 m. m.
- No. 33.—Horizontal section, showing transverse section of a large left frontal sinus measuring 76-m. m. The right measures 40 m. m. and has several small incomplete horizontal septa making a number of pockets.
- No. 34.—The right frontal sinus extends from the external angular process over toward the left and measures 67 m. m. The left frontal sinus measures 15 m. m.
- No. 35.—An anterior view of two large frontal sinuses, extending back of the orbits.

 They also communicate directly with the maxillary sinuses.
- No. 36.—Made from two specimens showing the frontal sinuses divided into several pockets. One picture skows the frontal sinus extending backward nearly to the optic nerve.

STEREOSCOPIC RADIOGRAMS

- No. 37.—A vertical view looking through the skull. It shows the three fossae of the brain-case and other internal anatomy.
- No. 38.—A view looking down through the skull, showing various structures such as the mastoid cells, the internal auditory canals, foramen magnum, cerebella fossae of occupital bone, lesser Wing of Sphenoid, maxillary sinuses, septum of nose, middle fossa of brain-case, petrous portion, and cells of temporal bone, sphenoidal sinuses, etc.