

SKIN DISEASES (Continued).

1386—R Acidi hydrocyanici dil., . 3iss.
Aquæ rosæ, . 3viiss.—M.

Ft. lotio.

Sig.: Use locally. (*In prickly heat.*)

A. T. THOMPSON.

1387—R Sodii arseniatis, . gr. ss.
Ext. gentianæ, . gr. xlv.—M.

Ft. massa et in pil. no. xxx div.

Sig.: Two or three pills after each meal. Also the following:—

1388—R Acidi pyrogallici, . 3iiss-iv.
Adipis, . 3ij. —M.

Ft. ungt.

Sig.: To be rubbed in twice daily. Also, a thorough cleansing with soap every two days. (*In psoriasis.*)

GUIBAUT.

1389—R Acidi salicylici, . 3ss.
Acidi pyrogallici, . 3iiss-ij.
Collodii, . 3ij. —M.

Ft. collodium.

Sig.: Preserve in a dark-colored bottle. After a warm bath to loosen the scales, the collodion is painted on the patches and a half-inch beyond the free border. Re-apply every two or three days, or even every day, preceding the application by a warm bath. If the eruption is general, treat successively the different parts. (*In psoriasis.*)

ELLIOTT.

1390—R Ungt. hydrargyri nitratis, . 3i-ij.
Zinci oxidi, . 3ij.
Liq. plumbi subacetatis, . 3ss.
Acidi carbolici, . gtt. ij.
Olei olivæ, . 3i-iss.—M.

Ft. ungt.

Sig.: Apply after removing the scales. (*In psoriasis.*)

TILBURY FOX.

1391—R Acidi salicylici, . 3iss.
Olei cadini, .
Glyceriti amyli, . āā 3xxv.
Ess. caryophylli, . 3iiss.—M.

Ft. glyceritum.

Sig.: The scales are first removed with hot water and tar-soap, or sapo niger, and then a weak alkaline bath. The glycerole is then rubbed in. If too much irritation follow, diminish the salicylic acid or oil of cade. (*In psoriasis.*)

L. BROcq.