

A

Leo Jenkins - 3/31/82

Normal Bias
EQ-120 μ s

Noise
Reduction

IN

OUT

AD-C90

Compact
Cassette
Printed in Japan



TDK®

B

Leo Jenkins.

Normal Bias
EQ-120 μ s

Noise
Reduction

IN

OUT

AD-C90

Compact
Cassette
Printed in Japan



TDK®

Noise Reduction

Equalizer

Normal: 120 μ s

March 31, 1982

Mary Jo Bratton

interviews Leo Jenkins

transcribed

online as ohlj1.cfm



leo Jenkins

A+B I

NO.

AD-C90

Jenkins, Leo

A+B (I)

A

Lee Jon / CIV - 3/13/82

Normal Bias
EQ-120 μ s

Noise
Reduction

IN

OUT

AD-C90 Compact Cassette
Printed in Japan

 **TDK**®

B

100 Senkins 3/31/82

Normal Bias
EQ-120 μ s

Noise
Reduction

IN

OUT

AD-C90

Compact
Cassette
Printed in Japan

 **TDK**®

Jenkins, Leo - A (II)

AD-C90

NO.

Leo Jenkins, A II

TDK



March 31, 1982

Mary Jo Bratton
Interviews Leo Jenkins

transcribed
online at ohjt.cfm

Noise Reduction

Equalizer

Normal: 120µs

