



INDEX					DATE OF RECEIPT		
4	3	2	1040	170	DESCRIPTION	DATE	APPROVED









- NOTES: (CONTINUED)
10. RELOCATE PUSHPURTON STATION FROM INHIDE STEED FORECASTLE DECK TO POSITION SHOWN. USE EXISTING HARDWARE TO SECURE AND RE-ROUTE EXISTING POWER CABLE THROUGH STUFFING TUBE, FIBD NO. 62.
 11. INSTALL RIBBLE, FIBD NO. 38 AND FLOW CONTROL VALVE, FIBD NO. 38 TO LOWER PART OF HAST NY CYLINDER BETWEEN EXISTING RIBBLE AND 90° ELBOW.
 12. EXHURE DETACHABLE STOP BLOCK FOR ROV RAMP CHAIN CLEARS FOUNDATION OF RAISED CLOSED CHOCK ON PORT AND STARBOARD WING WALLS.
 13. EXHURE UPPER DAVIT CLAMPS ARE REINSTALLED IF REMOVED DURING MODIFICATIONS.
 14. ADD 12" L X 3" W FLANGING PORT IN STARBOARD BULKHEAD AT STA 62 1/2 IN AREA OF FLUSH HANDLE COVER ON MAIN DECK. REINFORCE WITH PLAT BAR, FIBD NO. 61.

YARD	QTY	PART NO.	DESCRIPTION	UNIT	SPECIFICATION	MATERIAL
YARD 01	2	BAB-3/8" X 2"			ASTM A36	STEEL
YARD 02	2	PLATE, 1/4" THK X 8" X 8"			ASTM A36	STEEL
AFE 06	40	BND01	3 LAMIN CAM ASST, INCLUDES CAM, 1" HBS. BRONZE P18, O-RING, GASKET WASHER AND ROLL P18 (GLASSING-BEARS)		CONE	VARIOUS
YARD 08			1 PLATE, 1/4" THK X 2 3/8" X 2 3/8"		ASTM A36	STEEL
YARD 07			1 BAR, 3/8" DIA X 2 3/4" L		ASTM A36	STEEL
YARD 06		SIZES NTHD OPT.	1 TUBE, 2 3/4" OD X 1/4" WALL X 2 3/4" L		ASTM A819	STEEL
YARD 06			1 PLATE, 7/8" X 12 1/8" X 12 1/8"		ASTM A36	STEEL
YARD 04		TY AND GR OPT.	1 PIPE, 3/4" BOM X 40 SCHED X 3' L, GALV		ASTM A53	STEEL
YARD 03		H0923A/9-123	1 STOPPINI TUBE, SIZE C		MIL-S-24229/A	STEEL
YARD 02			1 PLATE, 1/4" THK		ASTM A36	STEEL
YARD 01			1 PLATE, 1/4" THK		ASTM A36	STEEL
YARD 00			1 PLATE, 1/4" THK		ASTM A36	STEEL
YARD 39		H01673-06	1 BIPPLE, PIPE, EXTRA STRONG, STEEL, 3/8" NON PIPE X 1" L			
YARD 38	00000	F 0006	1 FLOW CONTROL VALVE, 6 GPM, 3/8"-14 NPTF PORTS (P.B.)		CONE	STEEL
YARD 37		TY T, CL 2	AS CHAIN, CLOSE LINK, WELDING, 5/8" SIZE, ZINC COATED		RR-C-271	STEEL
YARD 36		TY TT, CL 2	2 SHACKLE, SCREW-P18, CHAIN, SIZE 8/16" SIZING COATED		RR-C-271	STEEL
YARD 36			2 BAR, 3/8" DIA X 4 3/16" L		ASTM A36	STEEL
YARD 35		TY AND GR OPT.	1 PIPE, 6" BOM X 40 SCHED X 2' L (CUT IN HALF) GALV		ASTM A53	STEEL
YARD 33			1 PLATE, 1/4" X 8" DIA (CUT IN HALF)		ASTM A36	STEEL
YARD 32			1 BAR, 3/4" DIA X 6" L		ASTM A36	STEEL
YARD 31	00000	F0006	6 FLOW CONTROL VALVE, 16 GPM, 1/2"-14 NPTF PORTS (P.B.)		CONE	STEEL
YARD 30		H01673-06	6 BIPPLE, PIPE, EXTRA STRONG, STEEL, 1/2" NON PIPE X 3" L			
YARD 29			6 PLATE, 1/2" X 2 3/4" X 12" L		ASTM A36	STEEL
YARD 28			2 PLATE, 1/2" X 2'-1" X 2" L		ASTM A36	STEEL
YARD 27			2 F.S., 1/2" X 2" X 18" L		ASTM A36	STEEL
YARD 26			2 F.S., 1/2" X 2" X 18" L		ASTM A36	STEEL
YARD 25			2 F.S., 3/4" X 2" X 18" L		ASTM A36	STEEL
AFE 24	BND01		1 STANDARD WRENCH FOR 3 CM DECK PLATE (GLASSING-BEARS)		CONE	
AFE 23	BND01		1 1/2" SIZE, CAST STEEL RIM (SUITABLE FOR WELDING) WITH 3/8" SD GASKET (GLASSING-BEARS)		CONE	C STL AND HOPEWIRE
YARD 05		TY AND GR OPT.	6 PIPE, 1/2" NON X 40 SCHED X 5' L, GALV		ASTM A53	STEEL
YARD 01		TP-34-00	6 TOMBIE P18, 3/8" DIA X 3" L WITH CHAIN 12" L, CHES (COVER)		CONE	CHES
YARD 00		TY AND GR OPT.	2 PIPE, 2" BOM X 40 SCHED X 8' L, GALV		ASTM A53	STEEL
YARD 19		TY AND GR OPT.	2 PIPE, 2" BOM X 40 SCHED X 4' L, GALV		ASTM A53	STEEL
YARD 18		TY AND GR OPT.	1 PIPE, 2" BOM X 40 SCHED X 18" L, GALV		ASTM A53	STEEL
YARD 17			2 BAR, 1/2" X 2" X 6" L		ASTM A36	STEEL
YARD 16			2 F.S., 1/2" X 3 1/8" X 18" L		ASTM A36	STEEL
YARD 15			1 ANGLE, 9" X 9" X 5/16" X 18" L		ASTM A36	STEEL
YARD 14			1 F.S., 1/4" X 3 1/2" X 18 1/8" L			
YARD 13			1 F.S., 1/4" X 3 1/2" X 18 1/8" L		ASTM A36	STEEL
YARD 12		H051022-09	6 NPT, RES SLUFLB, 5/8"-11 UNC-2A STL CD PL			
YARD 11		H000725-106	6 SCREW CAP REZ HD, 5/8"-11 UNC-2A X 2" L STL CD PL			
YARD 10		SS 6 10100	2 F.S., 1 1/8" X 8" X 2 5/8" L		ASTM A108	STEEL
AFE 9	60036	J 000010	N PILOT PIN WITH CUTTER P18, 1" DIA X 3 5/8" L (WARCO)		CONE	STEEL
AFE 8	60036	J 000023	2 FEMALE ROD CLEVIS, -14 FEMALE THREAD (WARCO)		CONE	STEEL
AFE 7	60028	NP1-MH	2 HTD CTL, 3 1/4" BORE X 29 1/2" STROKE, 1 3/8" ROD DIA WITH -14 MALLE (WARCO)		CONE	STEEL
AFE 6	60036	J 000023	2 WIDENING EYE BRACKET (WARCO)		CONE	STEEL
YARD 0	8-11029PCA		4 STRUT ELBOW, 1/2" NPTF		SAE J514	STEEL
YARD 0	12-81101NCCA		4 REDUCER, 3/4" PIPE TO 1/2" NPTF		SAE J514	STEEL
YARD 3			2 F.S., 3/8" X 5" X 5" L		ASTM A36	STEEL
YARD 2			2 F.S., 5/8" X 2" X 5" L		ASTM A36	STEEL
YARD 1			2 F.S., 5/8" X 8" X 7 7/8" L		ASTM A36	STEEL
SUPPLIER	FORM NO.	DRAWING NO.	PART NO.	QTY	REMARKS	
					FOR INFORMATION OF CONTRACTOR	
					SPECIFICATION	MATERIAL

UNITED STATES DEPARTMENT OF DEFENSE		PARTS LIST	
DRAWING OF LAMP		DATE 5 APR 68	
ONE PLUG 1 01 2 TWO PLUGS 1 002 2 THREE PLUGS 1 003 1 FOUR PLUGS 1 004 2 FIVE PLUGS 1 005 2		U.S. ARMY QUALITY EQUIPMENT RESEARCH AND DEVELOPMENT COMMAND FORT BELVOIR, VIRGINIA 22060	
ON ONE SCALE TWO DIVISIONS FOR MEASUREMENT OF DIMENSIONS FROM 1/16" TO 1" APPLICABLE SQUARE CORNER AND STRAIGHT EDGE SCALES STANDARD SCALES 1/16" TO 1" FINEST SCALE 1/16" TO 1"		MODIFICATIONS TO DECK ARRANGEMENT AND STERNGATE, LCU 1667-1670	
MATERIAL _____ _____ _____		SIZE 1/16" x 1/16" x 1/16" WEIGHT 1.00 lb	
APPROVED FOR PROCUREMENT <i>John M. Smith</i> 3 APR 68		A1 97403 13226E8033	







FORM NO.	PCSN	DWG NO. REV	PART OR IDENTIFYING NO.	QTY REQD	NOMENCLATURE OR DESCRIPTION		SPECIFICATION	MATERIAL
PARTS LIST								
UNLESS OTHERWISE SPECIFIED ALL TOLERANCES ARE .010 IN.				DRAWN BY WJ/BO	DATE 8 JUL 68	U.S. ARMY BELLEVUE RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER FORT BELLEVUE, VIRGINIA 22060-9608		
ONE PLACE (1)		TWO PLACE (11)		THREE PLACE (111)		TRIMMED ANGLE PROJECTION		
DO NOT SCALE THIS DRAWING				CHECKED BY CONTRACT NO.		MODIFICATIONS TO DECK ARRANGEMENT AND STERNGATE, LCU 1667-1670		
FOR INTERPRETATION OF DRAWING SEE 100-110-100 APPLIES				APPROVED FOR P. [Signature]				
REMOVE BURRS AND REMOVE SHARP EDGES		SHARP EDGES FILLET RADIUS		TS				
MATERIAL				DATE 21 FEB 68				
APPROVED FOR PROCUREMENT [Signature]				SIZE SCALE				
DATE 21 MAR 68				A1		97403		13226E8033
				SCALE		SHEET 4		