

U. S. G. S. LOCALITY Nos. 785 AND 5348, KERR'S REPORT, 1875, GABB'S LIST AND STANTON'S COLLECTION. LOCALITY—SNOW HILL, N. C.

- | | |
|---|--|
| <i>Hamulus major</i> Gabb. | <i>Tenea parilis</i> Conrad. |
| <i>Serpula cretacea</i> (Conrad). | <i>Arena carolinensis</i> Conrad. |
| <i>Nucula</i> n. sp. (aff. <i>N. percrassa</i> Conrad). | <i>Cardium eufaulense</i> Conrad. |
| <i>Leda</i> sp. indet. | <i>Cardium carolinensis</i> Conrad. |
| <i>Cucullaea carolinensis</i> Gabb. | <i>Cardium</i> (related to <i>C. alabamense</i> Gabb). |
| <i>Nemodon eufalensis</i> Conrad. | <i>Protocardium carolinensis</i> Conrad. |
| <i>Nemodon brevifrons</i> Conrad. | <i>Cyprimeria depressa</i> Conrad. |
| <i>Barbatia</i> (<i>Plagiarca</i>) <i>lintea</i> Conrad. | <i>Cyprimeria densata</i> (Conrad). |
| <i>Barbatia</i> (<i>Plagiarca</i>) <i>carolinensis</i> Conrad. | <i>Aphrodina regia</i> Conrad. |
| <i>Trigonoarca</i> (<i>Breviarca</i>) <i>umbonata</i> Conrad. | <i>Cyclothyris alta</i> Conrad. |
| <i>Trigonoarca triquetra</i> Conrad. | <i>Cyclothyris carolinensis</i> Conrad. |
| <i>Trigonoarca</i> (<i>Breviarca</i>) <i>perovalis</i> Conrad. | <i>Linearia</i> (<i>Lyothyris</i>) <i>carolinensis</i> Conrad. |
| <i>Trigonoarca</i> (<i>Breviarca</i>) <i>carolinensis</i> Conrad. | <i>Linearia</i> (probably new species) (<i>a</i>). |
| <i>Trigonoarca</i> n. sp. | <i>Linearia</i> , n. sp. (<i>b</i>). |
| <i>Glycymeris congesta</i> (Conrad). | <i>Legumen planulatum</i> (Conrad). |
| <i>Inoceramus proximus</i> Tuomey? | <i>Leptosolen biplicata</i> Conrad. |
| <i>Gervillia</i> sp. | <i>Baroda carolinensis</i> Conrad. |
| <i>Pteria petrosa</i> (Conrad). | <i>Hercedon ellipticus</i> Conrad. |
| <i>Ostrea</i> sp. | <i>Oena plana</i> Conrad. |
| <i>Gryphaea</i> sp. | <i>Cymbophora lintea</i> (Conrad). |
| <i>Exogyra ponderosa</i> Roemer. | <i>Corbula crassiplica</i> Gabb. |
| <i>Trigonia</i> n. sp. | <i>Corbula carolinensis</i> Conrad. |
| <i>Pecten</i> n. sp. | <i>Corbula</i> n. sp. |
| <i>Lima oxypleura</i> (Conrad). | <i>Pholas</i> n. sp. |
| <i>Lima reticulata</i> Forbes. | <i>Pholas</i> sp. indet. |
| <i>Anomia linifera</i> Conrad. | <i>Dentalium</i> ? |
| <i>Anomia lintea</i> Conrad. | <i>Cadulus obnutus</i> (Conrad). |
| <i>Anomia</i> n. sp. | <i>Ataphrus kerri</i> Gabb? |
| <i>Mytilus condecoratus</i> Conrad. | <i>Chemnitzia</i> ? |
| <i>Mytilus nasutus</i> Conrad. | <i>Trichoptropis</i> sp. indet. |
| <i>Lithophaga carolinensis</i> (Conrad). | <i>Callonema carolinensis</i> Conrad. |
| <i>Inoperna carolinensis</i> Conrad. | <i>Gyrodes crenata</i> Conrad. |
| <i>Cymella bella</i> Conrad. | <i>Lunatia</i> sp. indet. |
| <i>Veniella conradi</i> (Morton). | <i>Turritella quadrilira</i> Johnson. |
| <i>Etea carolinensis</i> Conrad. | <i>Anchura</i> n. sp. (incorrectly identified as <i>A. rostrata</i> Morton by Conrad). |
| <i>Eriphyla conradi</i> (Whitfield). | <i>Pugnellus densatus</i> Conrad? |
| <i>Crassatellites carolinensis</i> Conrad. | <i>Pyropsis</i> sp. indet. |
| <i>Crassatellites pteropsis</i> Conrad. | <i>Liopeplum thoracica</i> Conrad. |
| <i>Lucina glebula</i> Conrad. | <i>Placenticeras placenta</i> De Kay. |
| <i>Brachymeris alta</i> Conrad. | <i>Lamna texana</i> Roemer. |
| | <i>Portheus</i> sp. indet. (possibly <i>P. mollus</i>). |
| | Identified by J. W. Gidley. |

The above list includes about 69 or more distinct species of invertebrate remains. This is the largest number yet obtained from any single