

IMPOTENCE (Continued).

695—R Pulv. sanguinariæ, . . . gr. ij.
Ext. ergotæ, . . . ℥j.—M.
Ft. massa et in pil. no. xx div.
Sig.: One pill thrice daily. S. O. POTTER.

696—R Phosphori, . . . gr. j.
Alcoholis absoluti, . . . f℥v.
Glycerinæ, . . . f℥iss.
Alcoholis, . . . f℥ij.
Spts. menthæ pip., . . . f℥j.—M.
Sig.: One-half to one teaspoonful three times daily.
(For old people.) J. A. THOMPSON.

INCONTINENCE OF URINE.

697—R Strychniæ sulph., . . . gr. j.
Pulv. cantharidis, . . . gr. ij.
Morphiæ sulph., . . . gr. iss.
Ferri redacti, . . . gr. xx.—M.
Ft. pil. no. xl.
Sig.: One pill thrice daily to a child ten years old.
GROSS.

698—R Tinct. ferri chlor., . . . ℥ij.
Ext. ergotæ fld., . . . ℥v.
Spts. chloroformi, . . . ℥ij.
Tinct. quassia, . . . ad ℥iv.—M.
Sig.: A teaspoonful in a wineglassful of water thrice
daily. (For children.) S. O. POTTER.

699—R Atropinæ sulphatis, . . . gr. j.
Aquæ destillatæ, . . . ℥j.—M.
Sig.: Four to eight drops in water. (For children.)
BARTHOLOW.

700—R Ext. rhois aromaticæ fld., . . . ℥j.
Sig.: Five minims at two years of age; ten minims
at age of two to six years; fifteen minims for older
children. To be given in sweetened water.
UNNA, Annual Univ. Med. Sci.

701—R Linimenti cantharidis, . . . ℥ss.
Paint, high up, over the nape of the neck, a space
three inches by two inches, till blistered.
HARKIN, Annual Univ. Med. Sci.

702—R Chloral hydratis, . . . ℥j.
Syr. tolutani, . . . ℥iiss.—M.
Sig.: A teaspoonful thrice daily. (For infantile
incontinence.) DA COSTA.