

AGALACTIA.

15—R Decocti gossypii, Oj.
Sig.: A wineglassful every half hour.
PHILLIPS.

16—R Ricinis communis fol., ℥ij.
Aq. bullientis, ℥viii.—M.
Sig.: Make an infusion and apply as a fomentation
to the breasts.
TANNER.

17—R Ext. pilocarpi fld., ℥ij.
Sig.: A teaspoonful two or three times daily.
BARTHOLOW.

ALBUMINURIA (Bright's Disease).

18—R Ferri sulph., gr. xv.
Magn. sulph., ℥ij.
Potass. bicarb., ℥ij.
Infusi buchu, ℥viii.—M.
Sig.: A tablespoonful once or twice a day in a
tumblerful of water. (*When constipation exists.*)
FOTHERGILL.

19—R Acidi gallici, ℥i-ij.
Acidi sulphurici dil., ℥ss.
Tinct. lupuli, ℥j.
Infusi lupuli, ad ℥vj.—M.
Sig.: A tablespoonful thrice daily. (*If urine is
smoky.*)
AITKEN.

20—R Mist. ferri et ammonii acetatis
(U. S. P.), ℥vj.
Sig.: A teaspoonful to a tablespoonful, according to
age, well diluted, thrice daily.
BASHAM.

21—R Ferri sulphat., ℥j.
Ext. nucis vom., gr. x-℥j.
Pil. galbani co., ℥ii-ij.—M.
Ft. massa et in pil. no. xx div.
Sig.: A pill twice or thrice daily. (*When dyspeptic
symptoms arise.*)
GOODFELLOW.

22—R Tinct. strophanthi hisp. (1-20), ℥ss.
Sig.: Five to ten drops in water three times daily.
(*When there is a weak rapid pulse, scanty secretion, and
dyspnoea.*)
PINS, Annual Univ. Med. Sci.