

ALCOHOLISM (Continued).

30—R Pulv. capsici, gr. ij.
Quiniæ sulph., gr. iij.—M.

Ft. pulv. no. i.

To be taken before each meal for several days. If sleeplessness, then give—

31—R Sodii bromidi, ℥ss.
Chloral hydrat., ℥iiss.
Syr. aurantii cort., ℥ss.
Aquæ, ad ℥iv.—M.

Sig.: A tablespoonful at night. Repeat if necessary.
AITKEN.

ALOPECIA (See also Skin Diseases).

32—R Tinct. macis, ℥iss.
Olei olivæ, ad ℥ij.—M.

Sig.: Apply two or three times daily to affected spots.
HEBRA.

33—R Tinct. cantharidis, ℥iss.
Tinct. capsici, ℥xx.
Glycerinæ, ℥ss.
Spts. odoratæ, ad ℥vj.—M.

Sig.: Apply to head two or three times daily.
GROSS.

34—R Tinct. cantharidis, ℥ss.
Olei ricini, ℥iv.—M.

Sig.: Rub well into roots of hair night and morning.
WARING.

35—R Aquæ ammoniæ, ℥ss.
Olei terebinthinæ, ℥ij.
Aquæ, ℥x.—M.

Ft. lotio.

Sig.: Apply locally, alternating with small flying-blisters.
HALLOPEAU.

36—R Quiniæ sulphat., ℥iv.
Spiriti vini rectific., ℥iv.
Tinct. capsici,
Tinct. cantharidis,
Spts. ammon. arom., āā ℥ss.
Glycerinæ, ℥iv.
Aquæ, q. s. ad ft. ℥j.—M.

Sig.: Apply locally.
BRINTON.