

ANÆMIA AND CHLOROSIS (Continued).

52—R Quiniæ sulph., gr. xx.
Ferri sulph. exsicc., gr. xl.
Strychniæ sulph., gr. ss.—M.

Ft. massa et in pilulas no. xx div.

Sig.: One pill thrice daily.

BARTHOLOW.

53—R Ferri sulph. exsicc.,
Potassii carbonat., āā ʒj.
Syrupi, q. s. ut ft. massa.—M.

Ft. massa et in pil. no. xxiv div.

Sig.: One pill after meals.

BLAUD.

54—R Potass. bromidi, gr. v-x.
Ferri et potass. tart., gr. v.
Infusi quassiæ, ʒj. —M.

Sig.: To be taken three times daily. (*Where headache is produced by ordinary tonics.*)

FOTHERGILL.

ANEURISM.

55—R Potassii iodidi, ʒss.
Syrupi simplicis, ʒj.
Aquæ menth. pip., ad ʒiij.—M.

Sig.: A teaspoonful three times daily, gradually increased to three or four teaspoonfuls, but diminished on any increase of pulse rate.

BALFOUR, Annual Univ. Med. Sci.

56—R Antipyrin., ʒiss.
Syr. toltutan., ʒiss.
Aquæ, ad ʒiij.—M.

Sig.: A tablespoonful at intervals of one to four hours until relieved. (*For cardiac pains.*)

GERMAIN SÉE, Annual Univ. Med. Sci.

ANGINA PECTORIS.

57—R Methylal, ʒix.
Amyl nitrite, ʒj.—M.

Sig: Drop thirty or forty drops on a handkerchief and inhale. Repeat if necessary.

RICHARDSON, Annual Univ. Med. Sci.

58—R Sol. nitro-glycerin (1 per cent.), ʒss.

Sig.: One-half to two drops internally. (*When pallor of face exists.*)

WM. PEPPER, Annual Univ. Med. Sci.