

APHTHÆ (Continued).

68—R Papain, gr. xxx.
Glycerinæ, ℥iiss.
Aquæ destil., ad ℥v.—M.

Sig.: Apply four or five times daily with a brush
on the white patches. SCHMIDIGER.

69—R Sodii salicylat., ℥iiss.
Aquæ destillat., ℥j.—M.

Sig.: Apply five or six times daily. HIRTZ.

70—R Zinci chloridi, gr. iij—xv.
Alcoholi diluti, ℥viiij. —M.

Sig.: Gargle and mouth-wash. (*When other remedies have failed. The weakest strength for infants; the strongest for adults.*) JULES SIMON.

ASTHMA.

71—R Ammon. bromidi, ℥viiij.
Ammon. chloridi, ℥iiss.
Tinct. lobeliæ, ℥iij.
Spts. ætheris co., ℥j.
Syr. acaciæ, ad ℥iv.—M.

Sig.: A dessertspoonful in water every hour or two
during paroxysm. PEPPER.

72—R Tinct. sanguinariæ,
Tinct. lobeliæ,
Ammonii iodidi, āā ℥j.
Syr. toltutan., ℥vj.—M.

Sig.: A teaspoonful every two to four hours. (*In humid asthma.*) BARTHOLOW.

73—R Potassii iodidi, ℥ss.
Tinct. gentian. co., ℥iij.—M.

One teaspoonful, gradually increased to two teaspoonfuls, three times daily for several months.

ALONZO CLARK.

74—R Pyridin, ℥j.

Sig.: Put on a hot plate in a small room, and send patient to inhale the vapor several times.

GERMAIN SÉE, Annual Univ. Med. Sci.

75—R Amyl nitritis, ℥j.

Sig.: Inhale three to five drops from a handkerchief.

FRASER, Annual Univ. Med. Sci.