

CANCER (Continued).

145—R Terebene,
Ol. olivæ, āā ʒij.—M.

Sig.: Use locally, saturating a piece of cotton and retaining with a large, dry tampon, having previously disinfected the vagina. (*In cancer of cervix uteri.*)

CORDES, *Annual Univ. Med. Sci.*

146—R Acidi arseniosi,
Pulv. acaciæ, āā ʒj.
Aquæ, ʒv.—M.

Sig.: Paint over the tumor night and morning, not more than one square inch at a time. Aid sloughs by poulticing. (*For epithelioma.*)

MARSDEN.

147—R Iodoformi, ʒj.

Sig.: Use as a dusting powder to the broken surface and cover with lint soaked in glycerin.

RINGER

CARIES.

148—R Cupri sulphat.,
Zinci sulphat., āā partes xv.
Liq. plumbi subacetat., " xxx.
Aceti, " cc.—M.

To be injected through the sinuses.

VILLATE.

149—R Syrupus calcii lactophosphatis
(U. S. P.), ʒviiij.

Sig.: A dessertspoonful to a tablespoonful three times daily.

BARTHOLOW.

CARBUNCLE.

150—R Resorcin., ʒiiss-ʒiiss.
Lanolini, ʒj. —M.

Ft. ungt.

Sig.: Apply after making multiple parallel incisions into carbuncle. (*Abortive.*)

L. WEISS, *Annual Univ. Med. Sci.*

151—R Calcii sulphidi, gr. iij.
Ext. glycyrrhizæ, q. s. ut ft. massa.—M.

In pil. no. xxx div.

Sig.: One pill every hour or two.

RINGER.

152—R Tinct. ferri mur., ʒj.
Potassii chloratis, ʒj.
Glycerinæ, ʒj.
Aquæ, ad ʒiv.—M.

Sig.: A teaspoonful in a wineglassful of water every two hours.

RINGER.