

CARBUNCLE (Continued).

153—R Argenti nitratis, ℥iv.
Aquæ destillat., ℥iv.—M.

Sig.: To be applied two or three times on the in-
flamed surface, and beyond it, on the healthy skin, to
the extent of two or three inches. HIGGINBOTTOM.

154—R Cerati resinæ co., ℥j.
Ol. olivæ, ℥i-ij.—M.

Apply on lint, and change as often as discharges
require. WITHERSTONE.

155—R Lini farinæ,
Aq. bullientis, āā q. s.

M. et ft. cataplasma.

Sig.: Apply as hot as bearable, cover with oil-silk,
and renew when cool or dry at edges.

CATARRH, NASAL AND FAUCIAL.

156—R Tinct. aconiti radiceis, ℥j.
Tinct. belladonnæ, ℥ij.—M.

Sig.: Three drops every hour. (*Pharyngitis and*
acute tonsillitis.) RINGER.

157—R Cocaine muriate, gr. vj.
Bismuth subcarb., ℥ss.
Talc, ℥iiss.—M.

Sig.: Enough to cover a silver five-cent piece insu-
flated into each nostril every two hours. (*For acute*
coryza.) SAJOUS.

158—R Chloroformi, ℥ij.
Glycerinæ,
Spts. vini gallici, āā ℥j.—M.

Sig.: One teaspoonful in water every three hours.
(*For acute coryza.*) SAJOUS.

159—R Acidi carbolici liq., ℥xxx.
Sodii biborat.,
Sodii bicarb., āā ℥j.
Glycerinæ, ℥iiss.
Aquæ, q. s. ad ft. ℥iv.—M.

Sig.: To be used with atomizer. (*Simple, chronic*
rhinitis.) DOBELL.