

**CATARRH, BRONCHO-PULMONARY (Continued).**

167—R Morphinae sulphat., . . . . . gr. ss.  
Quinia sulphat., . . . . . gr. x.—M.  
Sig.: Take at bed-time. (*Incipient catarrh.*)  
BARTHOLOW

168—R Tinct. opii, . . . . . gtt. iij.  
Spts. frumenti, . . . . . ℥ij.  
Aquaë bullientis, . . . . . ℥iv.  
Sacchari albi, . . . . . q. s.—M.  
Sig.: Take at bed-time. (*Incipient catarrh.*)  
RINGER.

**CATARRH, GALL-DUCTS.**

169—R Sodii phosphatis, . . . . . ℥ij.  
In chartulas no. xvi div.  
Sig.: A powder every four hours. (*For children,*  
*one-third to one-sixth the quantity.*)  
BARTHOLOW.

170—R Ext. hydrastis fld., . . . . . ℥j.  
Sig.: Five to fifteen drops before meals daily for  
some weeks.  
BARTHOLOW.

171—R Ammonii chloridi, . . . . . ℥ss.  
Ext. taraxaci fld., . . . . . ℥ij.—M.  
Sig.: A teaspoonful three times daily.  
BARTHOLOW.

172—R Ammonii iodidi, . . . . . ℥j.  
Liq. potass. arsenitis, . . . . . ℥ss.  
Tinct. calumbæ, . . . . . ℥ss.  
Aquaë, . . . . . ℥iss.—M.  
Sig.: A teaspoonful before meals, thrice daily.  
BARTHOLOW.

**CATARRH, GASTRO-INTESTINAL.**

173—R Liq. potass. arsenitis, . . . . . ℥ss.  
Sig.: One or two drops before meals. (*Vomiting*  
*of drunkards.*)  
BARTHOLOW.

174—R Ext. hydrastis fld., . . . . . ℥ss.  
Sig.: Five to fifteen drops before meals, in water.  
To be continued some time. (*Chronic conditions, with*  
*jaundice.*)  
BARTHOLOW.

175—R Tinct. capsici, . . . . . ℥vj.  
Tinct. nucis vomicaë, . . . . . ℥ij.—M.  
Sig.: Twenty drops every four hours.  
RINGER.