

CHORDEE (Continued).

226—℞ Liq. morph. sulph. (Magendii), ℥iv.  
Atropinæ sulph., . . . . gr. j.  
Acidi acetici, . . . . q. s.  
Aq. destillat., . . . . ad f̄℥j.—M.

Sig.: Five to eight minims at bed-time, hypodermically.  
STURGIS.

227—℞ Plumbi bromidi,  
Lupulinæ,  
Ext. belladonnæ, . . . . āā gr. xv.—M.

Ft. massa et in pil. no. xxx div.  
Sig.: Two or three pills daily.

VAN DEN CORPUT.

CHOREA.

228—℞ Eserinæ sulphat., . . . . gr. j.  
Aq. destillat., . . . . ℥vj.—M.

Sig.: Six minims hypodermically twice daily; with tonics.  
RIESS, Annual Univ. Med. Sci.

229—℞ Chloral hydrat., . . . . ℥vi-vij.  
Syr. aurantii cort., . . . . ℥ij. —M.

Sig.: A teaspoonful three times daily for one or two months. (*Child ten years old.*)

JOFFROY, Annual Univ. Med. Sci.

230—℞ Liq. potassii arsenitis, . . . . ℥ss.

Sig.: One to three minims hypodermically.

FRÜHWALD, Annual Univ. Med. Sci.

231—℞ Lobelinæ hydrobrom., . . . . gr. j.  
Aquæ, . . . . ℥v.—M.

Sig.: Three to fifteen minims hypodermically.

BARTHOLOW, Annual Univ. Med. Sci.

232—℞ Ferri citratis, . . . . ℥ij.  
Syr. simplicis, . . . . ℥iv.  
Aq. aurantii flor., . . . . ℥iss.—M.

Sig.: A teaspoonful before or after meals. (*When anæmic.*)  
HARTSHORNE.

233—℞ Ext. cimicifugæ fld., . . . . ℥ij.

Sig.: A half-teaspoonful, increased to one teaspoonful, three times daily. (*Six to ten years old.*)

JESSE YOUNG.