

COLICA PICTONUM (Continued).

249—R Magnesii sulphatis, ℥j.
Acidi sulphurici dil., ℥j.
Aquæ, ℥iv.—M.

Sig.: A tablespoonful three times daily, preceded by five to ten grains of potassium iodide. BRUNTON.

250—R Pulv. opii, gr. xij.
Ext. belladonnæ, gr. ij.
Olei tiglii, gtt. xij.—M.

Ft. massa et in pil. no. xii div.

Sig.: A pill every two hours until relieved.

LOOMIS.

CONDYLOMATA, COMMON.

251—R Acidi nitrici, ℥j.
Aquæ, Oj.—M.

Sig.: Use frequently as a wash.

RINGER.

252—R Acidi chromici, gr. c.
Aquæ destillatæ, ℥j.—M.

Sig.: Apply locally with match or glass rod.

BARTHOLOW.

253—R Acidi nitrici, ℥ss.

Sig.: Apply to wart with match or glass rod three or four times a week.

254—R Hydrarg. chlor. corr., gr. x.
Collodii, ℥v.—M.

Sig.: Paint the wart once daily.

KAPOSI.

255—R Acidi salicylici,
Spts. vini rectific., āā ℥ss.
Ætheris sulph., ℥lxxv.
Collodii, ℥iiss. —M.

Sig.: Apply every day with a camel's hair brush to the wart.

E. VIDAL.

CONDYLOMATA, VENEREAL.

256—R Tinct. ferri mur.,
Acidi muriatici dil., āā ℥ij.—M.

Sig.: Apply night and morning.

BULKLEY.

257—R Tinct. thujæ, ℥j.

Sig.: Apply locally three times daily for one or two weeks, with five drops in a wineglassful of water, internally, night and morning.

PHILLIPS.