

CONSTIPATION (Continued).

274—R Ext. cascarae sagrad. fld.,
Elixir simplicis, āā f̄ij.—M.
Sig.: Two teaspoonfuls at bed-time. BARTHOLOW.

275—R Ext. nucis vomicae,
Pulv. piper. nig., āā ̄j.
Pil. colocynth. co., gr. l.—M.
In pil. no. xx div.
Sig.: One every night or second night.
FOTHERGILL.

276—R Podophyllin, gr. j.
Spts. vini rectific., ̄iss.
Syr. althææ, ad ̄iv.—M.
Sig.: A half-teaspoonful daily. (*For infants.*)
BOUCHUT.

277—R Mannæ, gr. vj.
Aquæ bullient., ̄x. —M.
Ft. infusum.
Sig.: When cool, give a teaspoonful to a newborn
child. WIDERHOFER.

CONVULSIONS.

278—R Chloral hydrat., gr. xv—xxx.
Syr. acaciæ, ̄j.
Aquæ, ad ̄iv.—M.
Sig.: Inject a tablespoonful into the rectum, and re-
peat in fifteen or twenty minutes if required. (*Half
the quantity if by mouth.*) WIDERHOFER.

279—R Olei ricini, ̄j.
Sig.: A teaspoonful or two, according to age. (*When
due to indigestion.*) WITHERSTINE.

280—R Ætheris fort., ̄iv.
Sig.: To be used as an inhalation until paroxysm
is broken. J. L. SMITH.

281—R Mist. asafoetidæ, ̄ij.
Sig.: A tablespoonful as an enema. WARIN.