

**CONVULSIONS (Continued).**

282—R Moschi, . . . . . gr. iiij.  
Camphoræ, . . . . . gr. xv.  
Chloral hydrat., . . . . . gr. viiiss.  
Vitelli ovi, . . . . . no. j.  
Aquæ destillat., . . . . . ℥iv ℥vj.—M.

Sig.: Wash out the rectum with a simple enema,  
and then use above as an injection. J. SIMON.

**CORYZA (See Catarrh).**

**CROUP, MEMBRANOUS.**

283—R Tinct. ferri chloridi, . . . . . ℥i—iss.  
Potassii chloratis, . . . . . ℥j.  
Glycerinæ, . . . . . ℥j.  
Aquæ cinnamomi, . . . . . ad ℥iv.—M.

Sig.: Teaspoonful every two hours to a child four  
years old MEIGS and PEPPER.

284—R Potassii chloratis,  
Ammonii muriat., . . . . . āā ℥i—ij.  
Syr. simplicis, . . . . . ℥j.  
Aquæ, . . . . . ℥iij.—M.

Sig.: A teaspoonful hourly. (*For antiplastic  
action.*) J. LEWIS SMITH.

285—R Apomorphiæ, . . . . . gr.  $\frac{1}{5}$ .  
Syr. simplicis,  
Aquæ, . . . . . āā ℥j.—M.

Sig.: A teaspoonful or two every hour or two, ac-  
cording to urgency of the case.  
FLIESBURG Annual Univ. Med. Sci.

286—R Acidi lactici, . . . . . ℥iiiss.  
Aquæ destillat., . . . . . ℥x. —M.

Sig.: Apply with atomizer or brush frequently.  
(*To dissolve the membrane.*) M. MACKENZIE.

287—R Hydrarg. sulphatis flav., . . . . . gr. ii—v.  
In pulv. no. i.

Sig.: Use as an emetic. FORDYCE BARKER.

**CROUP, SPASMODIC OR CATARRHAL.**

288—R Potassii bromidi,  
Chloral hydratis, . . . . . āā ℥ij.  
Syr. acaciæ, . . . . . ℥ij.—M.

Sig.: A teaspoonful or less, according to age. ELLIS.