

**CROUP SPASMODIC OR CATARRHAL (Continued).**

289—R Tinct. belladonnæ, . . . . . gtt. iv.  
Tinct. opii camph., . . . . . gtt. l.  
Pulv. aluminis, . . . . . gr. vj.  
Syr. acaciæ, . . . . . ℥ss.  
Aquæ, . . . . . ℥iiss.—M.

Sig.: A teaspoonful every two or three hours at six months of age. MEIGS and PEPPER.

290—R Syr. ipecacuanhæ, . . . . . ℥ij.

Sig.: A teaspoonful every ten or fifteen minutes until vomiting is produced. Then five or ten minims every two or three hours the next day. MEIGS and PEPPER.

291—R Pulv. aluminis, . . . . . ℥ij.  
Syr. ipecac., . . . . . ℥j.—M.

Sig.: One teaspoonful every twenty minutes until vomiting is produced. A hot-mustard foot-bath should be given at the same time. J. LEWIS SMITH.

292—R Pulv. antimonialis (Tyson), . . . . . gr. ij.  
Potassii nitratis, . . . . . gr. viij.  
Sacchari albi, . . . . . gr. xij.—M.

In pulv. no. xvi dividenda.

Sig.: A powder every two hours.

JAMES DARRACH

293—R Tinct. aconiti radicis, . . . . . ℥ss.

Sig.: One drop in a teaspoonful of water every hour till urgent symptoms abate; then every two or three hours. RINGER.

**CYSTITIS (See Catarrh).**

**DEBILITY, GENERAL AND SENILE.**

294—R Quiniæ sulphat., . . . . . gr. xxx.  
Acidi sulphurici dil., . . . . . q. s. ad ft. sol.  
Aquæ, . . . . . ℥ij.  
Tinct. ferri chlor., . . . . . ℥ss.  
Spts. chloroformi, . . . . . ℥vj.  
Glycerinæ, . . . . . ℥iv.—M.

Sig.: A teaspoonful three times daily. LOOMIS.

295—R Ferri et ammonii citrat., . . . . .  
Ammonii chloridi, . . . . . āā gr. xxxij.  
Syrupi, . . . . .  
Aquæ anisi, . . . . . āā ℥ij.—M.

Sig.: A teaspoonful three times daily.

J. LEWIS SMITH