

DIARRHŒA, CHILDREN (Continued).

328—R Tinct. opii deodorat., gtt. xvj.
Bismuthi subnitrat., ℥ij.
Syr. simplicis, ℥ss.
Mist. cretæ, ℥iss.—M.

Sig.: Shake well and give one teaspoonful every three or four hours, to a child one year old.

J. L. SMITH.

329—R Saloli, gr. vj.

In pulv. no. xii div.

Sig.: A powder dry on tongue, followed by a sip of water, every two hours, to a child of six months.

GOELET. Annual Univ. Med. Sci.

330—R Magnesii sulphat., ℥j.
Tinct. rhei, ℥j.
Syr. zingiberis, ℥j.
Aquæ carui, ℥ix.—M.

Sig.: A teaspoonful three times daily, to a child one year old.

WEST.

331—R Sodii bromidi, ℥ss.
Mucil. acaciæ,
Aquæ, āā ℥j.—M.

Sig.: A teaspoonful every three hours, for a child less than one year old. (*Diarrhœa of dentition.*)

A. A. SMITH.

332—R Acidi nitrosi, ℥x-xv.
Sacch. albi, ℥ij.
Ext. hyoscyami, gr. vj.
Aquæ cinnamomi, ℥j.—M.

Sig.: A teaspoonful every three hours. (*In protracted cases.*)

CONDIE.

333—R Olei ricini, ℥ij.
Pulv. acaciæ,
Pulv. sacchari, āā ℥ij.
Tinct. opii, ℥xxj.
Aquæ cinnamomi, ad ℥iv.—M.

Sig.: A teaspoonful every three or four hours.

WEST.

DIARRHŒA, ADULTS.

334—R Tinct. opii camph.,
Spts. ætheris co.,
Ext. valerianæ fld., āā ℥ss.
Olei menthæ pip., gtt. xxx.
Spts. lavandulæ co., q. s. ad ℥iv.—M.

Sig.: A teaspoonful every two or three hours.

WM. DARRACH.