

DIPHTHERIA (Continued).

365—R Brominii pur., āā gr. viii—xv.
Potassii bromidi, 3l. —M.
Aquæ destillat., 3l. —M.

Sig.: To be used locally with a brush every two or three hours.

LE GENDRE, Annual Univ. Med. Sci.

366—R Papayotin., 3j.
Aquæ, 3iv.
Glycerinæ, 3viiij.—M.

Sig.: Apply locally to membranes.

A. JACOBI, Annual Univ. Med. Sci.

367—R Pulv. pepsinæ cryst., 3iv.
Sacchari lactis, 3j.—M.

Sig.: To be insufflated locally.

RICHMOND, Annual Univ. Med. Sci.

368—R Trypsin., gr. xxx.
Sodii bicarb., gr. x.
Aquæ destillat., 3j. —M.

Apply locally to membrane.

FERNALD, Annual Univ. Med. Sci.

369—R Acidi salicylici, gr. vij.
Decocti eucalypti, 3xv.
Glycerinæ, 3vij.
Spts. vini rectific., 3iiij.—M.

Sig.: To be applied locally every hour during the day and every two hours during the night. Use lint wound around a pencil or stick.

JULES SIMON, Annual Univ. Med. Sci.

370—R Iodoformi, 3j.
Adipis, 3x.—M.

Sig.: To be rubbed in the glands of the neck every three hours, externally.

GRANT (BEY), Annual Univ. Med. Sci.

DIPSOMANIA (See Alcoholism).

DROPSY.

371—R Vini colchici sem., 3ss.
Liq. ammonii acetat., 3iiss.
Infusi petroselini, 3v.—M.

Sig.: Teaspoonful every four hours. (*Especially adapted to scarlatinal dropsy.*)

BARTHOLOW.