

ENTERITIS.

418—R Tinct. opii deodorat., . . . ʒj.
Sig.: Ten drops every second or third hour, according to age, to the point of tolerance. DA COSTA.

419—R Liq. potassii arsenitis, . . . gtt. l.
Tinct. opii, . . . gtt. cxx.
Aquæ, . . . ad ʒiij. —M.
Sig.: A teaspoonful before meals thrice daily. (*In chronic form, especially when malarial.*)
BARTHOLOW.

420—R Lini farinae,
Ulmi farinae, . . . āā p. æq.
Aquæ bullientis, . . . q. s.—M.
Ft. cataplasma.
Sig.: Apply as warm as bearable. Renew frequently.
WITHERSTINE.

421—R Olei ricini, . . . ʒj.
Pulv. acaciæ,
Sacch. albi, . . . āā Diss.
Tinct. opii, . . . ℥iij.
Aquæ cinnamomi, . . . ʒxj.—M.
Sig.: A teaspoonful every four hours, for a child of one year. TANNER.

422—R Hydrarg. chlor. mit.,
Pulv. ipecac., . . . āā gr. ij.
Ext. hyoscyami, . . . gr. iv-vj.
Plumbi acetat., . . . gr. viii-xij.—M.
Ft. massa et in pil. no. xii div.
Sig.: One pill every three hours. For children.
CONDIE.

423—R Pulv. opii, . . . gr. v.
Bismuthi subnitrat., . . . ʒij.—M.
Divide in pulveres no. xx.
Sig.: A powder every two to four hours, for a child of five years. J. LEWIS SMITH.

424—R Pulv. ipecac. co., . . . ʒj.
Bismuthi subnitrat., . . . ʒij.—M.
In pulv. no. xxiv div.
Sig.: A powder every two to four hours, for a child five years old. J. LEWIS SMITH.