

EPILEPSY.

425—R Potassii bromidi,
Sodii bromidi,
Ammonii bromidi, āā ʒiij.
Potassii iodidi,
Ammonii iodidi, āā ʒiiss.
Ammonii carbonat., ʒj.
Tinct. calumbæ, ʒiiss.
Aquæ, q. s. ad ft. ʒviiij.—M.

Sig.: A teaspoonful and a half before each meal,
and three teaspoonfuls at bed-time.

BROWN-SÉQUARD.

426—R Potassii bromidi,
Ammonii bromidi, āā ʒj.
Ext. ergotæ fld., ʒss.
Aquæ, q. s. ad ʒiij.—M.

Sig.: One teaspoonful thrice daily. (*When maniacal excitement follows the attack, or cerebral congestion or hemorrhage is feared.*)

CHARLES R. SMITH.

427—R Ferri bromidi, gr. iv.
Potassii bromidi, ʒj.
Syr. simplicis, ʒvj.
Aquæ, ad ʒviiij.—M.

Sig.: A tablespoonful twice daily. (*In anæmic patients.*)

BARTHOLOW.

428—R Lobelinæ hydrobromat., gr. $\frac{1}{5}$ -j.
Aquæ destillatæ, ʒiiss.—M.

Sig.: A teaspoonful three or four times daily.

BARTHOLOW, Annual Univ. Med. Sci.

429—R Ext. conii fld. (Squibbs), ʒij.

Sig.: Fifteen to sixty minims, not over three times daily.

SPITZKA, Annual Univ. Med. Sci.

430—R Nickel bromidi, gr. xvj.
Aquæ destillatæ, ʒij. —M.

Sig.: A teaspoonful several times daily, according to tolerance.

DA COSTA, Annual Univ. Med. Sci.

431—R Acetanilid (antifebrine), ʒj.
Spts. vini gallici, ʒi.
Syr. simplicis, ad ʒiiss.—M.

Sig.: A teaspoonful two or three times daily.

LEIDY, JR., Annual Univ. Med. Sci.