

ERYTHEMA (See Skin Diseases).

FAVUS (See Skin Diseases).

FETOR OF AXILLÆ, BREATH, AND FEET.

448—R Potassii permanganat., . . . gr. x-xxx.
Aquæ, ℥viiij. —M.
Sig.: Apply locally frequently. BARTHOLOW.

449—R Sodii bicarbonat., ℥iij.
Aquæ, ℥viiij.—M.
Sig.: Apply as a lotion frequently. BARTHOLOW.

450—R Atropiæ sulphat., gr. iv-viiij.
Aquæ rosæ, ℥ij. —M.
Sig.: Apply to the part with a brush. BARTHOLOW.

451—R Acidi salicylici, gr. xlv.
Pulv. amyli, ℥v.
Pulv. talc, ℥xxij.—M.
Sig.: Dust over the feet. Used in the German Army.

452—R Sodii biboratis, gr. xv.
Thymoli, gr. viiss.
Aquæ destillat., ℥lxxv.—M.
Ft. sol.
Sig.: Mouth-wash. (*For fetor of breath due to carious teeth.*) MAGITOT.

453—R Glycerinæ, ℥iiss.
Liq. ferri perchlor., ℥viiss.
Ess. bergamii, gtt. xx.—M.
Ft. lotio.
Bathe the feet morning and evening with a brush wet with the lotion. (*For fetid feet.*) LEGROUX.

FEVERS, ERUPTIVE AND SIMPLE.

454—R Glycerinæ, ℥viiss.
Acidi citrici vel. tartarici, . . ℥ss.
Aquæ, ℥xix.—M.
Sig.: One to two tablespoonfuls every hour as a beverage. (*When used freely, the excretion of urea is diminished.*) SEMMOLA, Annual Univ. Med. Sci.