

FEVER, YELLOW (Continued).

498—R Olei terebinthinæ, ℥iss.
Mucilag. acaciæ, ad ℥ij.—M.
Sig.: A teaspoonful every hour or two. (*For
nausea and vomiting, and weak heart.*) LA ROCHE.

499—R Hydrarg. chloridi mit.,
Pulv. jalapæ, āā gr. x.—M.
Ft. pulv. no. i.
Sig.: To be given early in disease. RUSH.

500—R Creasoti, ℥i-iss.
Alcoholi, q. s. ut ft. sol.
Liq. ammonii acetat., ad ℥iv.—M.
Sig.: A teaspoonful every three or four hours. (*For
nausea and vomiting of yellow fever.*) LEWIS.

501—R Sodii chloridi, ℥ss.
Olei olivæ, ℥ss.
Olei terebinthinæ, ℥j.
Aquæ ferventis, Oiss.—M.
Sig.: Use as an enema. LAWSON.

502—R Chloroformi, ℥j.
Syr. acaciæ, ℥ij.—M.
Sig.: A teaspoonful before nourishment. (*To pre-
pare the stomach for food.*) J. D. MACDONALD.

FISSURE OF ANUS AND NIPPLES.

503—R Iodoformi,
Acidi tannici, āā ℥j.—M.
Sig.: Unfold or open the fissure, and fill with and
dust over the powder. BARTHOLOW.

504—R Potassii bromidi, ℥iss.
Glycerinæ, ℥j.—M.
Sig.: Apply with a brush locally. (*For fissure of
anus.*) RINGER.

505—R Acidi tannici, ℥j.
Glycerinæ, ℥ij.—M.
Sig.: Introduce into the rectum night and morning
on a tent. (*For fissure of anus.*) WARING.