

FURUNCLE (See Carbuncle).

GALACTORRHŒA.

529—R Atropinæ sulph., gr. iv.
Aquæ rosæ, ℥j. —M.

Sig.: Apply on lint around the breast, and remove when the throat becomes dry. BARTHOLOW.

530—R Potassii iodidi, ℥j.
Aquæ, f℥j. —M.

Sig.: Twenty-five to thirty drops in water, once or twice daily. ROUSSEL.

531—R Olei camphorati, ℥vj.

Sig.: Apply externally to breasts. WARING.

GALL-STONES (See Calculi).

GANGRENE (See also Debility).

532—R Pulv. acidi salicylici, ℥j.

Ft. chart. no. i.

Sig.: Use locally as a dusting powder. (*To destroy fetor and change morbid action.*) BARTHOLOW.

533—R Sodii sulphitis, ℥i-ij.
Aquæ, ℥x. —M.

Ft. lotio.

Sig.: Use as a lotion, or apply on compresses. WARING.

534—R Brominii, ℥j.

Sig.: Apply to the slough with a glass rod. (*Hospital gangrene.*) BARTHOLOW.

535—R Cerati resinæ co., ℥j.
Ext. opii aquos., ℥j.
Olei olivæ, ℥ij. —M.

Ft. ungt.

Sig.: Apply locally after the slough has separated. WITHERSTINE.

536—R Liquor. hydrogenii peroxidi
(10-vol.), ℥iv.

Sig.: Apply locally, pure or diluted.

537—R Acidi nitrici, ℥j.

Sig.: Apply to the ulcer with a glass rod until it is converted into a firm, dry mass. WARING.