

HÆMATURIA (Continued).

592—R Olei terebinthinæ, ℥ss.
Mucil. acaciæ, q. s.
Syr. simplicis, ad ℥iij.
Olei gaultheriæ, gtt. viij.—M.

Ft. emulsio.

Sig.: One to three teaspoonfuls every two to four hours. JOHN HUNTER.

593—R Acidi gallici, ℥ss.
Acidi sulphurici dil., ℥j.
Tinct. opii deodorat., ℥j.
Infusi digitalis, ℥iv.—M.

Sig.: A tablespoonful every four hours. (*Also useful in menorrhagia, purpura hemorrhagica, and the hemorrhagic diathesis.*) DRUITT.

HÆMOPTYSIS.

594—R Pulv. aluminis, ℥j.
Sacchari albi, ℥ss.
Pulv. ipecac. co., ℥j.—M.

In pulv. no. vi div.

Sig.: One powder every two hours. SKODA.

595—R Plumbi acetat., gr. xx.
Pulv. digitalis, gr. x.
Pulv. opii, gr. v.—M.

Ft. massa et in pil. no. x div.

Sig.: One pill every four hours. BARTHOLOW.

596—R Sodii chloridi, ℥ij.

Sig.: Take a half-teaspoonful dry. Repeat till nausea occurs. RINGER.

597—R Ext. ergotæ fld., ℥j.
Olei gaultheriæ, gtt. iv.—M.

Sig.: A teaspoonful every hour at first; then every four to six hours. RINGER.

598—R Infusi digitalis, ℥iv.

Sig.: A tablespoonful every hour until the pulse is reduced. BRINTON.

HAIR (See also Alopecia).

599—R Liquor. hydrogenii peroxidi
(10-vol.), ℥iv.

Sig.: Apply locally with a sponge or soft brush. (*To bleach the hair.*) WILSON.