

HEADACHE (Continued).

622—R Ext. aconiti alc., ℥j.
Adipis, ℥ij.—M.

Ft. ungt.

Sig.: Rub into the affected temple every night. (*In nervous form, migraine, etc.*)
W. H. DAY.

HEART-BURN (See Acidity).

HEART-DISEASE.

623—R Tinct. digitalis, ℥ij.
Spts. chloroformi, ℥v.
Infusi buchu, ad ℥xij.—M.

Sig.: Two tablespoonfuls in a wineglassful of water three times daily. (*In simple cardiac debility.*)

FOTHERGILL.

624—R Cocaini hydrochloratis, gr. vj.
Aquæ destillatæ, ℥ij.—M.

Sig.: A teaspoonful three times daily. (*In nervous cardiac debility.*)

ROSENBACH, *Annual Univ. Med. Sci.*

625—R Iodini carbolati, ℥ss.

Sig.: Fifteen or twenty drops on cotton, or in an inhaler. To be inhaled several times daily. (*In endocarditis.*)

McCLUN, *Annual Univ. Med. Sci.*

626—R Gran. efferv. caffeini citratis
(Keasbey and Mattison), ℥iv.

Sig.: Three to five teaspoonfuls several times daily, gradually increased. (*In intermittent heart.*)

NOTHNAGEL, *Annual Univ. Med. Sci.*

627—R Sodii iodidi,
Potassii iodidi, āā ℥ss.
Aquæ, ad ℥j.—M.

Sig.: One drop three times daily for fifteen days; then substitute—

628—R Sol. nitro-glycerin. (1 per cent.), ℥j.

Sig.: Take two to four drops three times daily for fifteen days, and then revert to iodides. Alternate for one, two, or three years. (*For atheromatous condition of the heart.*)

HUCHARD, *Annual Univ. Med. Sci.*