

**HEMORRHOIDS (Continued).**

650—R Acidi carbolici, . . . . . ℥ij.  
Acidi tannici, . . . . . ℥j.  
Alcoholis, . . . . . ℥iv.  
Glycerinæ, . . . . . ℥j.—M.  
Sig.: Hypodermic injection for piles. GIRARD.

651—R Iodoformi, . . . . . ℥i-iiij.  
Adipis benzoat., . . . . . ℥j. —M.  
Ft. ungt.  
Sig.: Apply locally, after washing with cold water. BARTHOLOW.

652—R Ceræ flavæ, . . . . . ℥viiij.  
Resinæ, . . . . . ℥iv.  
Adipis, . . . . . ℥ss.  
Olei sassafras, . . . . . ℥xl.—M.  
Sig.: Melt wax, resin, and lard together; when the mixture shows signs of stiffening, add the oil of sassafras and stir until cold. Apply locally. Charity Hospital, N. Y.

653—R Ferri subsulphatis, . . . . . ℥ss.  
Adipis, . . . . . ℥j.—M.  
Ft. ungt.  
Sig.: Apply every morning locally, and at evening use—

654—R Liq. plumbi subacetat. dil., . . . . . ℥vj.  
Sig.: Apply locally as a wash, at bed-time. WITHERSTINE.

655—R Ext. colocynth. co., . . . . . ℥ss.  
Ext. nucis vom., . . . . . gr. vj.  
Hydrarg. chlor. mit., . . . . .  
Ext. hyoscyami, . . . . . āā gr. xij.  
Ft. massa et in pil. no. xii div.  
Sig.: One as required; for sluggish bowels. BARKER.

656—R Ext. hydrastis fld., . . . . . ℥iv.  
Sig.: Use as a lotion externally; also take internally the following:—

657—R Tinct. hydrastis can., . . . . . ℥j.  
Sig.: Five minims three times daily, internally. PHILLIPS.