

INTESTINAL PARASITES (See Worms).

ITCH (See Skin Diseases and Lice).

INTUSSUSCEPTION.

725—R Lobeliæ, . . . . . ℥ss.  
Aquæ bullientis, . . . . . ℥j.—M.  
Ft. infusum,  
Sig.: Inject one-fourth or one-half, and repeat if  
permissible. BARTHOLOW.

726—R Sodii bicarbonatis, . . . . . ℥ii-iiij.  
Aquæ, . . . . . ℥vj. —M.  
Sig.: Inject into the rectum and follow immediately  
with—

727—R Acidi tartarici pulv., gr. xxxv-xlvij.  
Aquæ, . . . . . ℥iv. —M.  
Sig.: Inject immediately into the bowel after the  
preceding. BARTHOLOW.

728—R Fellis bovini, . . . . . gr. x-xxx.  
Aquæ ferventis, . . . . . ℥i-iv. —M.  
Sig.: Inject slowly into the bowel until it is fully  
distended. (*Knee-chest position is the best.*)  
HAWKINS.

729—R Ext. belladonnæ, . . . . . gr. iv.  
Aquæ ferventis, . . . . . ℥j. —M.  
Ft. solutio.  
Sig.: Inject into the rectum. WARING.

IRITIS.

730—R Scopolinæ, . . . . . gr. j.  
Aquæ destillatæ, . . . . . ℥j.—M.  
Ft. collyrium.  
Sig.: One to three drops into the eye two or three  
times daily. DUNN, Annual Univ. Med. Sci.

731—R Duboisia sulphatis, . . . . . gr. j.  
Aquæ destillatæ, . . . . . ℥j.—M.  
Ft. collyrium.  
Sig.: One drop into the eye once or twice daily.  
TWEEDY.

732—R Emplastri cantharidis, . . . . . 1 in. x 1 in.  
Sig.: Apply behind the ear, and poultice when blis-  
tered. HARTSHORNE.