

**LABOR (Continued).**

746—R Quiniæ sulphatis, . . . . . ℥ij.  
Acidi sulph. aromat., q. s. ut ft. sol.  
Syr. zingiberis, . . . . . ℥j.  
Aquæ, . . . . . ad ℥ij.—M.

Sig.: A tablespoonful at once, and a dessertspoonful every four hours afterward. (*In atony of the uterus.*)

RINGER.

747—R Potassii bromidi, . . . . . ℥ii-ij.  
Chloral hydratis, . . . . . ℥j.  
Syr. aurantii cort., . . . . . ℥iss.  
Aquæ cinnamomi, . . . . . ad ℥ij.—M.

Sig.: A tablespoonful in a wineglassful of water, and repeat in four hours if necessary. (*In false labor pains.*)

748—R Amyl nitritis, . . . . . ℥j.

Sig.: Three to five drops to be inhaled from a handkerchief. (*In hour-glass contraction of uterus.*)

BARNES.

749—R Tinct. nucis vomicæ, . . . . . ℥j.  
Ext. ergotæ fld., . . . . . ℥vj.  
Elixir simplicis, . . . . . ad ℥vj.—M.

Sig.: A teaspoonful in a wineglassful of water every three hours. (*In retained placenta.*)

LOMBE ATTHILL.

750—R Morphiæ sulphatis, . . . . . gr. i-ij.  
Olei theobromæ, . . . . . ℥ij. —M.

Ft. massa et in suppositoria no. iv div.

Sig.: One as required. (*In precipitate labor.*)

LEISHMAN.

751—R Ext. ergotæ fld., . . . . . ℥j.  
Olei gaultheriæ, . . . . . gtt. iv.—M.

Sig.: A teaspoonful every four hours, only if os is dilated and soft parts not rigid. (*In protracted labor from atony of uterus.*)

LEISHMAN.

752—R Morphiæ sulphatis, . . . . . gr. ij.  
Aquæ destillatæ, . . . . . ℥j. —M.

Sig.: Five or ten minims hypodermically, repeated if necessary. (*In protracted labor due to rigid os.*)

RINGER.