

LARYNGITIS (Continued).

770—R Menthol, gr. xxv-c.
Olei olivæ, ℥j. —M.

Sig.: Apply locally to the ulcerations. (*Tuberculous laryngitis.*)

M. A. ROSENBERG *Annual Univ. Med. Sci.*

771—R Iodol, ℥j.

Sig.: Apply a small portion to the larynx by insufflation once daily, or two or three times a week. (*In tuberculous laryngitis.*)

LUBLINSKI, *Annual Univ. Med. Sci.*

772—R Hydrarg. cyanidi, gr. ij.
Sacch. lactis, gr. xv.
Mucil. acaciæ, q. s. ut ft. massa.—M.

Ft. massa et in pil. no. xx div.

Sig.: One pill twice daily. (*In syphilitic laryngitis.*)

M. MACKENZIE.

773—R Hydrarg. chloridi corrosivi, gr. i-ij.
Aquæ destillatæ, ℥ij. —M.

Sig.: Inhale from an atomizer several times daily. (*In syphilitic laryngitis.*)

DEMARQUAY.

774—R Hydrarg. chloridi corrosivi, gr. j.
Potassii iodidi, ℥ij.
Aquæ cinnamomi, ℥ij.—M.

Sig.: A teaspoonful three times daily. (*In syphilitic laryngitis.*)

L. ELSBERG.

LEAD-POISONING (See Colic).

LEPRA (See Skin Diseases).

LEUCOCYTHÆMIA.

775—R Olei eucalypti, gtt. c.
Piperini,
Ceræ albæ, āā ℥j.
Pulv. althææ, ℥ij.—M.

Ft. massa et in pil. no. c div.

Sig.: Three to five pills thrice daily.

MOSLER, *Annual Univ. Med. Sci.*

776—R Acidi nitro-muriatici dil., ℥j.

Sig.: Ten to twenty drops in a wineglassful of water thrice daily.

HARTSHORNE.