

LEUCOCYTHÆMIA (Continued).

777—R Acidi arseniosi, gr. j.
Pil. ferri carbonatis,
Quinidiæ sulphatis, āā ʒj.--M.
Ft. massa et in pil. no. xl div.
Sig.: Two pills thrice daily. DA COSTA.

778—R Chinoidinæ, ʒij.
Resinæ podophylli, gr. iv.
Ferri sulph. exsiccati, ʒj. —M.
Ft. massa et in pil. no. xx div.
Sig.: One pill thrice daily. BARTHOLOW.

779—R Quiniæ sulphatis, ʒj.
Ferri sulph. exsiccati, ʒiss.—M.
Fiat massa et in pil. no. xxx div.
Sig.: Four or five pills daily. BARTHOLOW.

LEUCORRHŒA.

780—R Acidi tannici, ʒiv.
Glycerinæ, ʒxvj.—M.
Sig.: A tablespoonful to a quart of tepid water, used
as a vaginal injection for five minutes, night and morn-
ing, by means of a Davidson's or a fountain syringe.
T. GAILLARD THOMAS.

781—R Zinci sulphatis, ʒiss.
Aluminis sulphatis, ʒiss.
Glycerinæ, ʒvj.—M.
Sig.: A tablespoonful to a quart of water, as a vaginal
injection. T. GAILLARD THOMAS.

782—R Ext. belladonnæ, gr. x-xx.
Acidi tannici, ʒiii-iv.
Olei theobromæ, ʒx. —M.
Ft. massa et in suppositoria no. x div.
Sig.: Introduce one into the vagina, place in con-
tact with the os, and retain with a small tampon.
Renew as required. (*In ulcerated and painful os, and
leucorrhœa.*) TROUSSEAU.

783—R Sodii bicarbonatis, ʒj.
Tinct. belladonnæ, ʒij.
Aquæ, Oj.—M.
Sig.: Use as a vaginal wash. (*In over-secretion of
the glands about the os uteri, with pain.*) RINGER.