

MALARIA (See Fever).

MAMMARY INFLAMMATION (See also Abscesses).

823—R Ext. phytolaccae decand. fld., ʒj.

Sig.: Ten drops in water every hour for three or four doses, then gradually lengthen the intervals. The breast may be bandaged, but not poulticed or rubbed. Give a brisk purgative. (*In threatened mastitis.*)

TODD, *Annual Univ. Med. Sci.*

824—R Hydrarg. chloridi mitis,  
Pulv. jalapæ, . . . . . āā gr. x.—M.

Ft. pulv. no. i.

Sig.: Take at once. (*Brisk purge for incipient mastitis.*)

RUSH.

825—R Ungt. belladonnæ, . . . . . ʒj.  
Pulv. camphoræ, . . . . . ʒj.—M.

Sig.: Apply locally, supporting the breast with a bandage.

WITHERSTINE.

826—R Atropinæ sulphatis, . . . . . gr. viij.  
Aquæ rosæ, . . . . . ʒij.—M.

Ft. lotio.

Sig.: Apply locally, but discontinue in case of dilatation of pupils or dryness of throat.

L. STARR, *Annual Univ. Med. Sci.*

827—R Ammonii carbonatis, . . . . . ʒj.  
Aquæ, . . . . . Oj.—M.

Ft. lotio.

Sig.: Apply locally.

L. STARR, *Annual Univ. Med. Sci.*

828—R Linimenti camphoræ, . . . . . ʒviiij.

Sig.: Apply locally, rubbing gently from the circumference toward the nipple. (*In incipient mastitis.*)

PARRY.

829—R Lini farini,  
Aquæ bullientis, . . . . . āā q. s.—M.

Sig.: Stir the flaxseed-meal slowly into the water, spread on old muslin, cover with thin cheese-cloth, and apply as hot as can be borne. (*A poultice supplies heat and moisture; when either becomes deficient in quantity, replace the poultice with one freshly made.*)

WITHERSTINE.