

MORNING SICKNESS (Continued).

883—R Cerii valerianatis, gr. xv.

In pil. no. xx div.

Sig.: Two to four pills daily.

Annual Univ. Med. Sci.

884—R Cocaini muriatis, gr. j.
Ext. belladonnæ, ℥vj.—M.

Sig.: Apply locally to the cervix uteri morning and evening.

FENN, Annual Univ. Med. Sci.

885—R Acidi phenici deliquesc., ℥j.
Aceti opii, ℥iij.—M.

Sig.: Four drops in a little sweetened water five minutes before meals thrice daily.

Annual Univ. Med. Sci.

886—R Cocaini hydrochloratis, gr. j.
Aquæ, ℥j.—M.

Sig.: A teaspoonful three times daily before meals.
(May be given hypodermically.)

PARVIN, Annual Univ. Med. Sci.

887—R Tinct. nucis vomicæ, ℥ss.

Sig.: One drop every hour or two in water.

RINGER.

888—R Cerii oxalatis, gr. xxiv.
Ext. hyoscyami, gr. xxxvj.

Ft. massa et in pil. no. xii div. —M.

Sig.: One pill twice daily.

GOODELL.

889—R Atropiæ sulphatis, gr. j.
Morphiæ sulphatis, gr. iv.
Acidi sulphurici arom., ℥iij.
Aquæ, ℥v.—M.

Sig.: Ten to twenty drops, in water, thrice daily.

BOYS.

890—R Bismuthi subnitratæ, ℥ij.

In pulv. no. xii div.

Sig.: A powder thrice daily before meals.

CAZEAUX.

MUMPS (See also Fever).

891—R Hydrargyri cum cretæ, gr. iv.
Sacchari lactis, ℥j. —M.

In pulv. no. xii div.

Sig.: One powder three or four times daily.

RINGER.