

**NEURALGIA (Continued).**

**913—R** Sol. nitro-glycerin (1 per cent.), ℥ss.

Sig.: One or two drops on the tongue every hour to six hours, as required. (*When pallor of face is present.*)

TRUSSEWITSCH, Annual Univ. Med. Sci.

**914—R** Chloroformi, . . . . . ℥j.  
Liq. vaselini, . . . . . ℥iv.—M.

Sig.: Fifteen to thirty minims hypodermically at the seat of pain.

MEUNIER, Annual Univ. Med. Sci.

**915—R** Antipyrin., . . . . . ℥iiss.  
Aquæ destillatæ, . . . . . ℥v.—M.

Sig.: Twenty-five minims hypodermically every three or four hours till relieved.

WITHERSTINE.

**916—R** Antipyrin., . . . . . gr. lxxv.  
Aquæ destillatæ, . . . . . ℥iiss.  
Spts. jamaicensis, . . . . . ℥v.  
Syr. limonis, . . . . . ℥viiss.—M.

Sig.: To be taken in teaspoonful doses in the twenty-four hours.

**917—R** Coniæ hydrobromat., . . . . . gr. iss.  
Aquæ aurantii flor., . . . . . ℥iiss.—M.

Sig.: Take three to five drops three times daily.

**918—R** Thein,  
Sodii benzoatis, . . . . . āā ℥j.  
Sodii chloridi, . . . . . gr. x.  
Aquæ destillatæ, . . . . . ℥j. —M.

Sig.: Three to twenty drops, as required. MAYS.

**919—R** Tinct. momordicæ (balsam-  
apple), . . . . . ℥v.  
Tinct. aconiti, . . . . . ℥ij.  
Chloroformi, . . . . . ℥ss.—M.

Sig.: Soak a piece of flannel, lay it on the painful part, and cover with oiled silk.

GUENEAU DE MUSSY.

**920—R** Menthol, . . . . . gr. xxiiss.  
Cocaini muriatis, . . . . . gr. viiss.  
Chloral hydratis, . . . . . gr. ivss.  
Vaselini, . . . . . ℥iiss.—M.

Ft. ungt.

Sig.: Apply to the painful part and cover with a strip of court-plaster. (*For supraorbital neuralgia.*)

GALEZOWSKI.