

ORCHITIS (Continued).

956—R Tinct. iodinii, ℥j.

Sig.: Apply locally to the swollen testicle after the acute symptoms are over. BARTHOLOW.

957—R Tinct. pulsatillæ, ℥ss.

Sig.: One to three drops every hour or two in water. BROWN.

958—R Sodii salicylatis, ℥ss.
Syr. simplicis, ℥ij.
Aquæ menthæ pip., ad ℥vj.—M.

Sig.: A tablespoonful every hour till the pain is relieved; then every four to six hours. PIGORNET.

959—R Ammonii chloridi, ℥ij.
Spts. vini rectificat.,
Aquæ, āā ℥ij.—M.

Sig.: Saturate thin cloths and apply frequently, allowing the fluid to evaporate. BARTHOLOW.

960—R Morphiæ sulphatis, gr. xvj.
Hydrarg. oleatis (10 per cent.), ℥ij.—M.

Sig.: Apply twice daily. (*To remove induration.*) MARSHALL.

OTITIS, OTORRHŒA, AND OTALGIA.

961—R Atropiæ sulphatis, gr. ss-iss.
Morphiæ muriatis, gr. iss.
Glycerinæ, ℥j.—M.

Ft. sol.

Sig.: Instill into the ear, morning and evening, one or two drops. Also saturate a piece of absorbent cotton and introduce it well into the auditory canal. MOURE.

962—R Morphiæ muriatis, gr. v.
Atropiæ sulphatis, gr. j.
Olei olivæ, ℥j.
Glycerinæ, ℥iss.—M.

Sig.: Three to five drops in the ear. Repeat every hour until the pain is relieved. Place a small pledget of cotton in the ear after introducing the drops. (*For otalgia.*)