

**PARALYSIS.**

**985—R** Hyoscyamiæ sulphatis, . . . gr. ss.  
Aquæ destillatæ, . . . ℥vj.—M.  
Sig.: Five minims hypodermically once daily, or by  
the stomach twice daily. (*In paralysis agitans.*)  
SÉGUIN.

**986—R** Strychniæ sulphatis, . . . gr. ij.  
Aquæ destillatæ, . . . ℥c.—M.  
Sig.: Two to four minims hypodermically every  
second day, or even daily. (*In all forms of paralysis  
except cerebral and spinal paralysis.*)  
BARWELL.

**987—R** Ext. physostigmatis, . . . gr. j.  
Ext. gentianæ, . . . ℥j.—M.  
Ft. massa et in pil. no. xxx div.  
Sig.: A pill every two hours. (*In general paralysis  
of the insane.*)  
CRICHTON BROWNE.

**988—R** Ext. physostigmatis, . . . gr. iij.  
Ext. taraxaci, . . . gr. xxiv.—M.  
Ft. massa et in pil. no. xxx div.  
Sig.: A pill every three hours. (*In paraplegia,  
locomotor ataxy, writers' cramp, and progressive mus-  
cular atrophy.*)  
MURRELL.

**989—R** Ext. ergotæ aquosi, . . . ℥ss.  
Syr. aurantii cort., . . . ℥ij.  
Aquæ destillatæ, . . . ad ℥viiij.—M.  
Sig.: A tablespoonful three or four times daily. (*In  
paralysis of sphincter ani and sphincter vesicæ.*)  
BONJEAN.

**990—R** Eserinæ sulphatis, . . . gr. ij.  
Aquæ destillatæ, . . . ℥j.—M.  
Sig.: Instill a drop or two into the eye. Repeat if  
necessary. (*In ocular spasm and paralysis.*)  
WHARTON JONES.

**991—R** Phosphori, . . . gr. ij.  
Alcoholis absoluti, . . . ℥xxiiij.  
Tinct. vanillæ, . . . ℥ss.  
Olei aurantii cort., . . . ℥xj.  
Alcoholis absoluti, . . . q. s. ad ℥iiij.—M.  
Sig.: Twenty to forty minims two or three times  
daily. (*In cerebral softening and hysterical paralysis.*)  
HAMMOND, Bellevue Hosp. Pharm.