

PLEURISY (Continued).

1075—R Tinct. aconiti radice, . . . ℥ss.

Sig.: Half a drop every third hour for a child three years old. One drop for six years old. If younger, then give—

R Tinct. digitalis, . . . ℥ss.

Sig.: One drop every three hours for a two-year-old child.
J. LEWIS SMITH.

1076—R Tinct. opii deodoratæ, . . . gtt. xx.
Tinct. digitalis, . . . gtt. xvj.
Syr. pruni virginianæ, . . . ℥j.
Aquæ, . . . ℥iss.—M.

Sig.: A teaspoonful every three hours for a child eighteen months old. (*For first stage.*)

J. LEWIS SMITH.

1077—R Potassii acetatis, . . . ℥ij.
Infusi digitalis, . . . ℥iij.—M.

Sig.: A teaspoonful every three hours to a child of five years. (*To remove effusion.*)

J. LEWIS SMITH.

PLEURODYNIA (See Neuralgia).

PNEUMONIA.

1078—R Tinct. aconiti rad., . . . ℥ij.
Tinct. opii, . . . ℥iij.—M.

Sig.: Thirteen drops at once, followed by five drops every hour or two. (*In the stage of congestion.*)

BARTHOLOW.

1079—R Quiniæ sulphatis, . . . ℥ss.
Acidi sulphurici aromat., . . . ℥iss.
Olei caryophylli, . . . gtt. iv.
Mucil. acaciæ, . . . ℥j.
Aquæ menthæ pip., . . . ad ℥iv.—M.

Sig.: A teaspoonful or two every three or four hours. (*In asthenic pneumonia.*)

HARTSHORNE.

1080—R Ammonii carbonatis, . . . gr. iv.
Spts. chloroformi, . . . ℥xx.
Aquæ camphoræ, . . . ℥v.—M.

Sig.: To be given every three or four hours. (*When delirium is present, with small, weak, quick pulse.*)

WATERS.