

PRURIGO—PRURITUS (Continued).

1110—R Sodii hyposulphitis, ℥viiss.
 Acidi carbolici, gr. lxxv.
 Glycerinæ, ℥iv.
 Aquæ, ℥viiss.—M.

Ft. lotio.

Sig.: Bathe with cold water, and apply the solution every day or two. (*For pruritus ani.*) JOHNSTON.

1111—R Zinci oxidi, ℥iss.
 Potassii bromidi, ℥iiss.
 Ext. cannabis indicæ, ℥ss.
 Glyceriti amyli, ℥viiss.—M.

Sig.: Wash the parts with very hot lotions of flaxseed, and then apply the above. (*Vulvar pruritus.*) MENIÈRE.

1112—R Ext. nucis vomicæ,
 Ext. belladonnæ, āā gr. iv.—M.

In pil. no. xvi div.

Sig.: One pill morning and evening. (*In senile pruritus.*)

1113—R Sodii salicylatis, ℥iij.
 Syr. acaciæ, ℥j.
 Aquæ menthæ pip., ad ℥iij.—M.

Sig.: A dessertspoonful three times daily. (*With rheumatic or diabetic diathesis.*) ICARD.

1114—R Acidi carbolici, gr. vj.
 Aquæ, ℥j.—M.

Ft. lotio.

Sig.: Apply thrice daily. (*In pruritus ani.*) HEATH.

1115—R Hydrargyri chloridi corr., gr. j.
 Pulv. aluminis, ℥j.
 Pulv. amyli, ℥iss.
 Aquæ, ℥vj.—M.

Sig.: Apply locally. GOODELL.

1116—R Acidi hydrocyanici dil., ℥ij.
 Sodii boratis, ℥j.
 Aquæ rosæ, ℥viiij.—M.

Sig.: Lotion. FOX.