

PYROSIS (Continued).

1139—R Acidi sulphurosi, . . . . . ℥ss-j.  
Aquaë, . . . . . ℥ij.—M.

Ft. haustus.

Sig.: To be taken shortly before meals. LAWSON.

1140—R Quiniæ sulphatis, . . . . . gr. xij.  
Acidi sulphurici dil.,  
Spts. chloroformi, . . . . . āā ℥ij.  
Tinct. aurantii cort., . . . . . ad ℥iss.—M.

Sig.: A teaspoonful, in water, three times daily.

J. R. MARTIN.

QUINSY.

1141—R Tinct. guaiaci ammoniatæ, . . . . . ℥ij.

Sig.: A teaspoonful in half a glassful of milk, three or four times daily. (*In the early stage.*) SAJOUS.

1142—R Tinct. aconiti radiceis, . . . . . ℥ss.

Sig.: Half a drop or a drop every ten minutes or quarter of an hour for two hours, and afterward hourly. RINGER.

1143—R Pulv. resinæ guaiaci, . . . . . ℥iv.

Sig.: Put as much as will lie on a one-cent piece on the back of the tongue, and let it remain as long as possible. SAJOUS.

1144—R Tinct. belladonnæ, . . . . . ℥ss.

Sig.: Five drops in a tablespoonful of water every one to three hours. PHILLIPS.

1145—R Hydrargyri chloridi mitis, . . . . . gr. j.  
Sacchari lactis, . . . . . ℥j.—M.

In pulv. no. xx div.

Sig.: A powder every two hours. BARTHOLOW.

1146—R Hydrargyri cum cretæ, . . . . . gr. v.  
Sacchari lactis, . . . . . gr. x.—M.

In pulv. no. xv div.

Sig.: A powder every hour. (*When the tonsils almost meet.*) RINGER.

1147—R Tinct. guaiaci,  
Glycerinæ, . . . . . āā ℥iss.—M.

Sig.: A teaspoonful every hour or two. RINGER.