

**SCARLATINA (Continued).**

1230—R Acidi carbolici cryst., . . . ʒx.  
Aquaë, . . . . . ʒj.—M.

Sig.: Three to six minims every two hours day and night during the first three days. If the patient is doing well, give every three hours for four or five days; then every four hours until all danger is passed; then thrice daily until convalescent. Do not exceed eight minims at a dose, but give until the urine is smoky or almost black. Also give one minim thrice daily to all exposed persons.

WIGLESWORTH, *Annual Univ. Med. Sci.*

**SCIATICA (See also Neuralgia).**

1231—R Tinct. colchici sem., . . . gtt. xv.  
Potassii iodidi, . . . . . gr. x.  
Tinct. zingiberis, . . . . . gtt. x.  
Syrupi simplicis,  
Aquaë, . . . . . āā q. s. ad ʒij.—M.

Ft. haustus.

Sig.: Apply a strip of blistering plaster over the course of the nerve, and give the above draught in water thrice daily between meals.

DA COSTA.

1232—R Tinct. aconiti rad.,  
Tinct. colchici sem.,  
Tinct. belladonnæ,  
Tinct. cimicifugæ., . . . āā ʒj.—M.

Sig.: Twelve drops every four to eight hours.

J. T. METCALF.

1233—R Chloroformi, . . . . . ʒij.

Sig.: Five to fifteen minims hypodermically. Inject deeply into the muscular tissues near the seat of pain.

BARTHOLOW.

1234—R Morphiae sulphatis, . . . . . gr. ss- $\frac{2}{3}$ .  
Atropiae sulphatis, . . . . . gr.  $\frac{1}{5}$ .  
Aquaë destillatæ, . . . . . ℥xx.—M.

Sig.: Inject deeply into the muscles over the course of the nerve.

BROWN-SÉQUARD.

1235—R Potassii iodidi, . . . . . ʒj.  
Decocti sarsaparillæ co., . . . ʒij.—M.

Ft. haustus.

Sig.: To be taken thrice daily. (*In subacute or chronic cases.*)

WARING.