

SKIN DISEASES (Continued).

1310—R Liq. plumbi subacetatis, ℥j.
 Glycerinæ,
 Aquæ, āā ℥iv.—M.

Sig.: To be applied two to four times daily with a camels' hair pencil. (*In infantile eczema, when the surface is red, angry-looking, and discharging a thin, watery secretion.*)
 J. LEWIS SMITH.

1311—R Hydrarg. ammoniati, gr. x.
 Acidi carbolici cryst., gr. viiss.
 Ungt. petrolei,
 Ungt. zinci oxidi, āā ℥ss.
 Olei olivæ, ℥ss.—M.

Sig.: Apply two or three times daily. (*In general infantile eczema.*)
 STELWAGON.

1312—R Zinci acetatis, gr. ij.
 Aquæ rosæ, ℥j.
 Ungt. aquæ rosæ, ℥j.—M.

Sig.: Apply locally. (*In erythema. Also in herpes.*)
 TILBURY FOX.

1313—R Pulv. camphoræ, ℥ss-j.
 Spts. vini rectificati, ℥j.
 Sodii boratis, ℥ij.
 Aquæ rosæ, ℥viiij.—M.

Ft. lotio.
 Sig.: Apply locally several times daily. (*In erythema. Also in pruritus and eczema.*)
 TILBURY FOX.

1314—R Pulv. camphoræ, ℥ss-j.
 Zinci oxidi, ℥iv.
 Pulv. amyli, ℥j.—M.

Sig.: Dust on lightly, and do not allow to cake upon the skin. (*In erythema.*)
 BULKLEY.

1315—R Petrolei,
 Balsami peruviani, āā ℥ss.
 Unguenti laurini [bay-leaf]
 (Ph. P.), gr xvj.—M.

Ft. ungt.
 Sig.: Apply with a camel's hair pencil. Wash off, after remaining three hours, with warm water. (*In erythema following mercurial inunction.*)
 HEBRA.