

SKIN DISEASES (Continued).

1324—R Morphiae acetatis, gr. v.
 Chloroformi, ℥xl.
 Unguenti simplicis, ℥v.
 Olei amygdalæ dulc., ℥cc.—M.

Sig.: Apply two or three times daily. (*In herpes.*
Also in pruritus pudendi.) ELLEAUME.

1325—R Aluminis, ℥j.
 Aquæ, ℥j.—M.

Ft. lotio.
 Sig.: Wet a piece of lint with the solution, and ap-
 ply to the glans penis. (*In herpes preputialis.*)
WARING.

1326—R Glycerinæ, ℥j.
 Pulv. tragacanthæ co., . . . ℥ij.
 Mellis, ℥ij.
 Liq. calcis saccharati, . . . ℥iss.
 Emulsionis amygdalæ, . . . ℥viiij.—M.

Sig.: Apply locally. (*In herpes.* *Also in burns,*
chapped hands, etc.) TILBURY FOX.

1327—R Pulv. camphoræ,
 Chloral hydratis, āā ℥iv.—M.

Sig.: Apply locally with a camel's hair brush. (*In*
herpes labialis and preputialis.) JAMIESON.

1328—R Sulphuris, gr. xxv-l.
 Unguenti simplicis, ℥j. —M.

Ft. ungt.
 Sig.: Rub in nightly. (*In ichthyosis or xero-*
derma.) UNNA.

1329—R Resorcin., gr. xv.
 Adipis, ℥j. —M.

Ft. ungt.
 Sig.: Rub in locally in mild cases. In more severe
 cases, increase the strength of the ointment from two
 to six times that given above. (*In ichthyosis.*)
ANDEER.

1330—R Acidi salicylici, ℥ij.
 Collodii flexilis, ℥j.—M.

Sig.: Use locally, with a brush. (*In spinous forma-*
tions in ichthyosis hystrix.) LIVELING.