

SKIN DISEASES (Continued).

1339—R Hydrargyri chloridi corr., . gr. iss.
 Olei theobromæ,
 Vaselini, āā gr. ccxxv.
 Ft. ungt. —M.
 Sig.: Apply in a thin layer over the eruption. (*In impetigo of the scalp.*) JORISSENNE.

1340—R Hydrargyri sulphureti rubri, gr. xxiiss.
 Plumbi oxidi rubri, gr. xxxviiss.
 Emplastri diachyli, ad ℥j. —M.
 Ft. emplastrum.
 Sig.: "Vidal's Emplâtre Rouge." Remove the crusts by poulticing; wash with dilute spirits of camphor, and cover all the points involved with the paste, renewing daily, after washing with dilute spirits of camphor. A sulphur-bath every two days is desirable; also the following:—

1341—R Syr. ferri iodidi, ℥j.
 Sig.: Ten to fifteen drops thrice daily, with cod-liver oil and other supporting treatment. (*In impetigo.*) VIDAL ET THURIES.

1342—R Acidi boracici, ℥j.
 Aquæ, ℥x.—M.
 Ft. lotio.
 Sig.: Wet a compress, and apply to the face as a mask. Place three or four of these compresses, the one on the other, and cover with a sheet of thin rubber cloth. Renew this dressing every hour. In forty-eight hours cover the secreting surfaces with adhesive plaster. (*In impetigo of the face.*) E. BESNIER.

1343—R Glyceriti acidi tannici, ℥ij.
 Sig.: Apply with a hair-pencil during the day. Poultice at night to remove the crusts. (*In impetigo.*) RINGER.

1344—R Tinct. ferri chloridi, ℥ss.
 Magnesii sulphatis, ℥ij.
 Tinct. calumbæ, ℥ss.
 Infusi quassiaë, ℥xviiij.—M.
 Ft. haustus.
 Sig.: A wineglassful every morning. (*In impetigo of the aged.*) NELIGAN.