

SKIN DISEASES (Continued).

1424—R Hydrargyri ammoniati, . . . gr. v.
Adipis, ℥j.—M.

Ft. ungt.

Sig.: (*In tinea circinata, where the surface is discharging.*)
TILBURY FOX.

1425—R Ungt. hydrargyri nitratis, . . . ℥iv.
Sulphuris, ℥ij.
Creasoti, gtt. x.
Adipis, ℥i-ij.—M.

Ft. ungt.

Sig.: Rub in well. (*In tinea sycosis. See also tinea tonsurans.*)
TILBURY FOX.

1426—R Cupri carbonatis, ℥ij.
Adipis, ℥j.—M.

Ft. ungt.

Sig.: Rub in well. (*In tinea sycosis.*) DEVERGIE.

1427—R Naphthol, ℥i-iiss.
Saponis viridis,
Cretæ præparatæ,
Sulphuris loti,
Lanolini, āā ℥vj gr. xv.

Ft. ungt.

Sig.: Apply locally. (*In tinea sycosis.*) LIEBREICH.

1428—R Aceti cantharidis, ℥ss.

Sig.: Apply lightly with a camel's hair pencil; epilate around the patch and use the following:—

1429—R Hydrargyri chloridi corr., . . . gr. ij.
Adipis, ℥j.—M.

Ft. ungt.

Sig.: Rub in well for ten days or a fortnight; then stimulate with cantharidal ointment. (*In tinea decalvans.*)
TILBURY FOX.

1430—R Resorcin., ℥i-iiss.
Olei ricini, ℥xiss.
Alcoholis, ℥xxxviiiss.
Balsami peruviani, gr. viiss.—M.

Ft. lotio.

Sig.: Apply locally. (*In tinea versicolor. Also in seborrhœa and alopecia areata.*)
IHLE.