

SPERMATORRHŒA (Continued).

1459—R Argenti nitratis, gr. v-x.
Aquæ destillatæ, ʒj. —M.

Sig.: Inject into the prostatic portion of the urethra, using a deep urethral syringe.

VAN BUREN and KEYES.

1460—R Acidi tannici, ʒj.
Glycerinæ, q. s.—M.

Fiat pasta.

Sig.: Apply to the deep urethra with a cupped sound, placing the paste in the cups.

VAN BUREN and KEYES.

SPLEEN, ENLARGEMENT OF (See Fever, Intermittent Fever, and Leucocythæmia).

STRANGURY.

1461—R Ext. nucis vomicæ, gr. viij.
Ext. glycyrrhizæ, q. s. —M.

Ft. massa et in pil. no. 1 div.

Sig.: Two pills on retiring. (*For strangury and dysuria of old age.*)

FISCHER.

1462—R Aceti scillæ,
Spts. ætheris nitrosi, āā ʒij.
Aquæ anisi, q. s. ad ft. Oj.—M.

Ft. haustus.

Sig.: A wineglassful every hour or oftener.

WARING.

1463—R Pulv. opii, gr. ii-iv.
Olei theobromæ, ʒj. —M.

Fiant suppositoria no. ii.

Sig.: Introduce one into the bowel, and repeat if necessary in four hours.

HARTSHORNE.

1464—R Pulv. opii, gr. iv.
Pulv. folii hyoscyami, gr. xx.
Olei theobromæ, ʒj. —M.

Fiant suppositoria no. ii.

Sig.: Introduce one into the rectum.

PHILLIPS.

1465—R Tinct. cannabis indicæ, ʒij.

Sig.: A half-teaspoonful every few hours. (*When due to spinal disease, with bloody urine.*)

RINGER.