

**TETANUS (Continued).**

1499—R Pulv opii, . . . . . ʒj.  
Pulv. camphoræ, . . . . . gr. xv.  
Adipis præp., . . . . . ʒss. —M.

Ft. unguentum.

Sig.: To be rubbed on the parts affected with the  
spasm. THOMAS.

1500—R Tinct. cannabis indicæ, . . . . . ʒj.  
Mucilag. acaciæ, . . . . . ʒij.  
Aquæ cinnamomi, . . . . . ʒj.—M.

Ft. haustus.

Sig.: To be taken at once, and repeated every  
second hour or oftener, if occasion requires.

NELIGAN.

1501—R Ext. physostigmatis, . . . . . gr. iss.  
Pulv. zingiberis, . . . . . gr. iij.—M.

Ft. massa et in pil. no. iii div.

Sig.: A pill every hour. E. WATSON.

1502—R Curaris, . . . . . gr. i-ij.  
Aquæ, . . . . . gtt. c.—M.

Ft. sol.

Sig.: Ten drops hypodermically, and repeated every  
four or five hours, to control the spasm. DEMME.

1503—R Potassii bromidi, . . . . . ʒiss.

In pulv. no. xii div.

Sig.: A powder dissolved in water every three or  
four hours. H. C. WOOD.

1504—R Ext. physostigmatis, . . . . . gr. ij.  
Aquæ destillatæ, . . . . . ʒj.—M.

Ft. sol.

Sig.: Ten minims every two hours hypodermically,  
as required. To be pushed just short of arresting the  
breathing. FRASER.

1505—R Strychniæ sulphatis, . . . . . gr. j.  
Aquæ bullientis, . . . . . ʒj.—M.

Ft. sol.

Sig.: Eight to sixteen minims hypodermically, as  
required. BARTHOLOW.

1506—R Chloral hydratis, . . . . . ʒss.  
Syr. aurantii cort., . . . . . ʒss.  
Aquæ, . . . . . ad ʒiij.—M.

Sig.: A dessertspoonful as required.

BARTHOLOW.