

ULCER (Continued).

1542—R Creasoti, ℥iv.
Aquaë, ℥vj.—M.

Sig.: A tablespoonful three or four times daily. (*In gastric ulcer.*)
NIEMEYER.

1543—R Liq. potassii arsenitis, ℥ss.

Sig.: One drop, repeated as required, to relieve the pain and vomiting. (*In gastric ulcer.*)
BARTHLOW.

1544—R Skimmed milk two parts and liquor calcis one part, mixed, as a steady diet; also recommended very highly by PROF. BARTHLOW.
(*In gastric ulcer.*)
DA COSTA.

1545—R Chloral hydratis, ℥ss-ij.
Aquaë, ℥vj.—M.

Ft. lotio.

Sig.: Use as a wash. (*In sluggish ulcers.*)
KEYES.

1546—R Unguenti hydrargyri nitratis,
Unguenti simplicis, āā ℥j.—M.

Ft. ungt.

Sig.: Apply locally. (*In serpiginous ulcers.*)
KEYES.

1547—R Hydrargyri chloridi corrosivi, gr. xv.
Acidi carbolic, ℥xxx.
Aquaë, q. s. ad ft. ℥iv. —M.

Ft. lotio.

Sig.: Pack on cotton and renew daily. (*For syphilitic ulcers.*)
FOX.

1548—R Emplastri plumbi, ℥ij.
Ungt. hydrargyri, ℥ss.
Olei cadini, ℥ij.—M.

Ft. ungt.

Sig.: Spread on linen and apply. (*In inflamed syphilitic ulcers.*)
BUMSTEAD and TAYLOR.

1549—R Argenti nitratis fusæ, q. s.

Sig.: Apply to the surface and edges, and strap with diachylon adhesive plaster. (*In leg ulcers.*)

T. M. MARKOE.