

ULCER (Continued).

1550—R Zinci sulphatis, . . . . . gr. xvj.  
Tinct. lavandulæ co.,  
Spts. rosmarini, . . . . . āā ʒij.  
Aquæ, . . . . . ʒviiij.—M.

Ft. lotio.

Sig.: Apply sheet-lint wet with the lotion. The granulations may be touched from time to time with nitrate of silver. (*In weak ulcers.*) ERICHSEN.

1551—R Acidi tannici, . . . . . gr. lxxv.  
Hydrargyri nitratis acid., . . . . . gtt. xij.  
Adipis, . . . . . ʒviiss.—M.

Ft. ungt.

Sig.: Apply as a dressing. (*For chronic syphilitic ulcers.*) VENOT.

1552—R Pulv. camphoræ,  
Carbonis animalis, . . . . . āā ʒj.—M.

Ft. pulv.

Sig.: Use as a dusting powder, and pack the ulcer. To cleanse and relieve pain. (*In deep chronic ulcers.*) BARBACCI.

1553—R Acidi pyrogallici,  
Pulv. amyli, . . . . . āā ʒij.  
Vaselini, . . . . . ʒvj.—M.

Ft. ungt.

Sig.: Preserve in a glass-stopped jar. Spread on lint and apply once daily. Two dressings are sufficient, unless the ulceration is extensive. (*In venereal ulcerations.*) TERRILLON.

1554—R Balsami copaibæ, . . . . . ʒij.  
Mucilag. acaciæ, . . . . . ʒss.  
Liq. calcis, . . . . . ʒvj.—M.

Ft. injectio.

(*In ulceration of the rectum, vagina, or urethra.*) ABERNETHY.

1555—R Calcii phosphatis, . . . . . ʒj.  
Aquæ, . . . . . ʒx.—M.

Ft. lotio.

Sig.: Saturate compresses and apply, renewing three or four times daily. (*In leg ulcers.*) GROSSICH, Annual Univ. Med. Sci.