

URÆMIA (See also Bright's Disease).

1556—R Sodii benzoatis, ʒiij.
In pulv. no. xii div.
Sig.: One powder in solution, or in capsules, every
three hours. PARZEVSKI.

1557—R Ext. colocynth. co., gr. xiv.
Hydrargyri chloridi mit., gr. vj.—M.
In pil. no. iv div.
Sig.: To be taken at once, and in four hours fol-
lowed by one ounce of compound infusion of senna.
JOHNSON.

1558—R Pulv. scillæ,
Pulv. scammonii,
Pulv. digitalis, āā gr. xv.—M.
Ft. massa et in pil. no. xx div.
Sig.: Four to six pills daily, for five or six days.
LANCEREAUX.

1559—R Ext. pilocarpī alc.,
Ext. scillæ,
Resinæ jalapæ,
Resinæ scammonii, āā gr. xv.—M.
Ft. massa et in pil. no. xx div.
Sig.: Four or five pills daily for four or five days.
Strict milk diet is requisite. ROLLAND.

1560—R Pilocarpinæ muriatis, gr. ij.
Aquæ destillatæ, ʒij.—M.
Ft. sol.
Sig.: Inject hypodermically five minims; for a child
of six years. Ten minims for an adult. E. R. STONE.

1561—R Chloral hydratis, ℥viiij.
Syr. aurantii cort., ℥ij.
Aquæ, ad ʒiv.—M.
Sig.: A dessertspoonful as the initial dose, followed
by teaspoonful doses, repeated as necessary to relieve
the convulsions. JAS. ANDREW.

1562—R Olei tiglii, gtt. viij.
Elaterii, gr. ss-j.
Micæ panis, q. s. —M.
Ft. massa et in pil. no. viii div.
Sig.: One or two pills; to produce watery stools.
Use cautiously. BARTHOLOW.